


AnticTM

VOL. 1, NO. 1 APRIL, 1982

The ATARITM Resource

INSIDE:
WORD PROCESSOR SURVEY
PILOT — FORTH — BASIC
FIVE PROGRAM LISTINGS
MEMORY MAP




**INTRODUCTORY
ISSUE**

\$2⁵⁰

THE MOSAIC 32K RAM FOR ATARI

THE BEST!



For ATARI

- ✓ DESIGN
- ✓ MATERIALS
- ✓ SAFETY
- ✓ GUARANTEE

THE ONLY CHOICE

You own the best micro computer available, the Atari*. At Mosaic we've made Atari computers our only business and have made our products the best anywhere. You've seen the advantage of having a 32K RAM board. The Mosaic 32K RAM is the only board designed to meet your needs now and in the future too. It has designed-in flexibility to be compatible with products available in the near future. See for yourself, Mosaic is the only choice for the serious Atari owner.

THE BEST SCREEN CLARITY

Here's what A.N.A.L.O.G. magazine had to say: "Mosaic uses, what we feel are the highest quality components, which may improve reliability." and "The Mosaic showed no sign of interference and gave the best screen clarity."

THE MOSAIC ADVANTAGE	MOSAIC 32K RAM	OTHER 32K RAMS
Works in both Atari 400 & 800	■	■
Gold edge connectors for better reliability	■	■
Fits Atari 400 without modification	■	■
Custom components for better performance & reliability	■	
Highest quality components for the best screen clarity	■	
Four year warranty	■	
Designed to take advantage of Atari 800's superior bus structure.	■	
Can be used with 8K, 16K and future products.	■	
Allows Atari 800 to have 2 slots for future expansion	■	
Designed so there's no danger of damaging your computer	■	
Designed for inter-board communication in Atari 800	■	
Easy to follow instructions for simpler no-solder installation in Atari 400	■	
Available companion board (\$5) to allow running 32K board independent of other boards	■	
Full flexible memory configuration	■	

Atari 800 Memory Configuration	with the MOSAIC 32K RAM	with other 32K Boards	Atari 800 Memory Configuration	with the MOSAIC 32K RAM	with other 32K Boards
Empty 32K 16K	48K RAM 40K With BASIC Cartridge	48K RAM 40K With BASIC Cartridge	Empty 8K 32K	40K RAM	Danger! This Configuration Can Damage Computer
Empty 32K 8K	40K RAM	Danger! This Configuration Can Damage Computer	8K 32K 8K	48K RAM 40K With BASIC Cartridge	Danger! This Configuration Can Damage Computer
Empty 16K 32K	48K RAM 40K With BASIC Cartridge	Danger! This Configuration Can Damage Computer	Empty Companion 32K	32K RAM	Danger! This Configuration Can Damage Computer

Now from your nearest Mosaic dealer
800 547-2807

\$179.95

Direct from Mosaic \$189.95

MOSAIC
ELECTRONICS

P.O. Box 748 Oregon City, Oregon 97045 503/655-9574

*Trade Mark of Atari, Inc.

Antic™

The ATARI™ Resource

ANTIC Publishing

Editor & Publisher
James Capparell

Associate Editor
Gary Phillips

Assistant Editor
DeWitt Robbeloth

Products Review Editor
Jon Loveless

Production and Art
Marni Tapscott

Business Manager
Karen Phillips

Contributing Writers
Ken Harms
Bob Gonsalves
Bill Wilkenson
Matt Loveless




ANTIC encourages writers and programmers to submit work for publication. Writers warrant that their work is original and ownership resides with the author. Material not accepted for publication will be returned provided that sufficient postage is enclosed. Authors acknowledge that material accepted for publication becomes the exclusive property of **ANTIC** Publishing.

NOTE: ATARI is a trademark of Atari, Inc. ATARI 400 and ATARI 800 are trademarks of Atari, Inc. All references should be so noted.

April, 1982, Volume 1, Number 1
ANTIC - The ATARI Resource is published six times per year by **ANTIC** Publishing. Editorial offices located at 297 Missouri Street, San Francisco, Ca. 94107. Phone is (415) 864-0886. Domestic subscriptions are \$15 for six issues; \$27 for 12 issues. Mail subscription orders with check or money order to above address.

Copyright© 1982 by **ANTIC**
Publishing. All Rights Reserved.
Printed in USA.

TABLE OF CONTENTS



PRODUCTS IN DEPTH by Jon Loveless	4
A survey of three word processors	
STARTING LINE by Jim Capparell	6
For the novice	
SYSTEMS GUIDE by Jim Capparell	9
Memory map, part one	
PILOT by Ken Harms	12
Pilot your ATARI	
TAPE TOPICS by Gary Phillips	14
Some help for cassette owners	
IN THE PUBLIC DOMAIN	19
Chicken by Stan Ockers	
FORTH FACTORY by Bob Gonsalves	22
Multi-tasking in Forth	
ASSEMBLY LANGUAGE by Matt Loveless	28
A keyboard mask	
Editorial	2
Product reviews	16
Useful tricks—Assembler-Editor Cartridge	26
Looking at Books	33
Kids Korner	33
Customer Support	36

EDITORIAL



This page will give me an opportunity to deal with pressing topics, and a chance to speak directly to you our readers. I won't be writing this department every month—just whenever something useful presents itself. For this issue the most pressing topic I can think of is who we are and what we plan for the coming year.

We are dedicated Atari enthusiasts who have been involved with the 800 and 400 since it came on the market back in late 1979. We have varied backgrounds, some of us are computer professionals and some of us are what I've come to call Atari professionals, very motivated Atari users. What we have in common is our enthusiasm for home computing, especially using Atari, and our desire to share this enthusiasm.

We've looked carefully at the Atari user community and watched it grow until now there are approximately 100,000 users. Most of us at the magazine have been involved in computer clubs and newsletter publications. We now think it's time Atari users had their own dedicated publication, a resource which can be turned to for help and up-to-date information. We intend to create a publication that you, as Atari users, can be proud of; a journal that will keep you abreast of the latest hardware and software developments; a national forum with articles written by acknowledged experts and motivated beginners; a magazine you will find indispensable. We intend to bring you the best reviews, the most informative how-to-do-it articles, and perhaps an insiders' column from Atari headquarters. Additionally, we shall make available the collected volumes of public domain software and this at a price you can't possibly ignore. (See our application for further information.) We have scheduled six issues in this our first year. Expect to see some changes in format and content as we learn who you are and what you need. Actually, that's my clever way of asking you for your support by way of phone calls and letters and of course your subscriptions.


We hope to provide a publication you shall all look forward to receiving. For beginners we have Starting Line, advanced programmers see Systems Guide, and software publishers and would-be publishers watch for our interviews with some Atari programmers who are making it. There's more, so keep watching—with your support we're really going to GROW.

Oh, one more thing. ANTIC will finally give Atari enthusiasts a strong clear voice that will be heard down there in Silicon Valley.

Well, that's it. If you have any questions just drop us a note—we'll respond in our I/O Board (that's our input-output department).

James Capparell
Editor/Publisher
ANTIC
The ATARI Resource

6.6 SECONDS



If you spend more than 6.6 seconds
of your valuable time reading this ad,

YOU NEED

SpeedRead+

- Optimized Systems Software, the company that brought you BASIC A+ and OS/A+, proudly presents another "PLUS".
- **SpeedRead+** is the *world's first* speed reading tutor designed for use on your personal computer.
- **SpeedRead+** begins with training your eyes and mind to function as the incredible precision machine they were meant to be.
- **SpeedRead+** goes beyond mere words — it trains you to recognize phrases and columns instantly — it exercises your peripheral vision — it increases your comprehension.
- **SpeedRead+** matches *your* pace — now and in the future.

AVAILABLE NOW!

For 16K ATARI® computers with disk, Introductory Price \$59.95
Coming soon for APPLE II®. Inquire about availability of TRS-80® and cassette versions.

SEE YOUR DEALER TODAY!

Call or write for a descriptive brochure of **SpeedRead+**™ and other fine OSS products, such as OS/A+, BASIC A+, and TINY C®.

ATARI, APPLE II, TRS-80, and TINY C are trademarks of Atari, Inc., Apple Computer, Inc., Radio Shack, and Tiny C Associates, respectively. **SpeedRead+** is a trademark of Eagle Software and Optimized Systems Software.

Optimized Systems Software, Inc., 10379 Lansdale Ave., Cupertino, CA 95014, (408) 446-3099

WORD PROCESSORS FOR THE ATARI A COMPARISON

by Jon Loveless

There are currently three true word processors available for the ATARI, and that in itself creates a few problems. Typically, you would run out and buy one the moment one of 2 things occur:

1. you have the money, or
2. you find a store that has one in stock.

If you have not yet done so, or have done so and are still interested in what else is available, then read on. We are going to do an exhaustive comparison of the currently available word processors.

NAME: *Letter Perfect* (TM) Vers. 2.0
by: LKJ Enterprises, INC.
P.O. Box 10827
St. Louis, MO 63129

NAME: *Text Wizard* (TM)
by: DataSoft INC
19519 Business Center Drive
Northridge, CA 91324

NAME: *Atari Word Processor*
by: Atari, Inc.
Borregas Drive
Sunnyvale, CA 94086

Note: *LKJ has 2 disk based versions of Letter Perfect and 1 ROM version. Version 1.0 was released early in 1981, and has been replaced by Version 2.0. Disk based Version 2.0 is the one being compared here and you should be aware of which version you are looking at before you buy.*

The most difficult part of any software comparison is the final recommendation, so we are going to present the recommendation first. The bottom line is that all three of these word processors are excellent. If you were to choose one at random with no advance knowledge about its capabilities, you would end up with an excellent product and a purchase of value. All three have a number of commands to get used to, and with practice can be mastered in fairly short order. After several sessions at the keyboard these commands will become second nature and a more detailed evaluation can be made. Here again, none will fail, but regardless of which you purchase you will undoubtedly find something you wish you had.

Having started with relatively equal booking, let's look at the best and worst features of each word processor first, and then fill in the middle ground with a chart of feature comparisons.

LETTER PERFECT (TM)

BEST FEATURES:

The database merge capability stands out as truly unique feature of *Letter Perfect*. This will allow the printing of form letters to a list of people without the need to manually change the name and address. The name and address list can be developed on *Letter Perfect* and then, using the companion program *Mail/Merge* (extra-cost option), print out individual letters using the name or other data in the heading and the body of the letter. Coupled with the LKJ Database Management System (to be released soon) this should be a powerful threesome.

The general ease of use is probably next on the list of *Letter Perfect* best features. If you accept the default values built into the software, you can boot the disk (a menu will appear), press [RETURN], and begin typing. It is really that simple. Pressing the [ESC] key will bring you back to the menu where there are commands to SAVE, LOAD AND PRINT, to name a few.

There are also a few other features that should come under the category of "nice touch". For example, pressing the CONTROL key and [A] will move the cursor to the beginning of the line you are on, and CONTROL [Z] will move the cursor to the end of the same line. This may sound insignificant, but with nearly 50 commands, and 15 format representations this kind of simple and logical interaction is appreciated.

WORST FEATURES:

Version 1.0 had a number of bugs, and other problems often associated with the first release of new software. Version 2.0 has corrected all of these and added a few other niceties. As a result, we are hard pressed to find what we could call a "worst." LKJ chose to utilize their own Disk Operating System which creates instant compatibility problems problems. This has been corrected to a large degree with the optional program *Mail/Merge*. In the absence of the comparison program, however, it does limit you to using *Letter Perfect* files. Atari's 40 column TV screen limitation is overcome somewhat by a "SCREEN FORMAT" command on the menu, but this is at best only a partial solution.

All in all, *Letter Perfect* is a well written, well engineered, easy to use program that will satisfy the vast majority of word processing needs.

continued on page 34

WORD PROCESSOR FEATURE COMPARISON CHART

FEATURE	LETTER PERFECT	TEXT WIZARD	ATARI WP
Printing			
Printer-825	yes	yes	yes
Printer-MX80	yes	yes	limited
multiple copy print	yes	no	no
single sheet print	yes	yes	yes
5 cpi	yes	yes	yes
10 cpi	yes	yes	yes
16 cpi	yes	yes	yes
proportional	yes-825	yes-825	yes-825
center text	yes	yes	yes
right margin text	yes	yes	yes
headers/page numbers	yes	yes	yes
footers/page numbers	yes	yes	yes
underline text	yes-825 (1)	yes-825 only	yes-825
pause print	no	no	no
double column print	no	yes-825 only	yes
Editing			
ATARI screen editor	yes	yes	yes
text parsing	yes	yes	yes
tab spacing	yes	yes	yes
adjustable tab	yes	no	yes
line spacing	yes-CR	yes-CR	yes-(2)
search text	yes	yes	yes
replace text	yes	yes	yes
selective srch/repl	no (3)	yes	yes
delete text	wide variety	wide variety	wide variety
move text	yes	yes	yes
go to end of text	yes	yes	yes
go to top of text	yes	yes	yes
on screen formatting	yes (4)	no	yes
text review (scroll)	yes	yes	yes
File Handling			
DOS used	LKJ (5)	ATARI	ATARI
disk formatting	yes	no	yes
lock/unlock	yes	no	yes
delete files	yes	yes	yes
save file-compacted	yes	yes	yes
merge files	yes	yes	yes
access database	yes (6)	no (7)	no
General			
memory limits	36714	30505	N/A (8)
memory left message	yes-update	yes-keystroke	yes-symbol
menu usage	one	none	5 plus
disk directory	yes	yes	yes

(1) also with MX80 if Graftrax equipped.

(2) Atari WP offers 3 methods of line insert.

(3) does not support search and replace/no-replace choice.


(4) screen formatting intersperses lines to simulate a page.

(5) with Mail/Merge ATARI DOS compatibility is available.

(6) LKJ database system to be released soon.

(7) compatibility with Filemanager 800 to be supported.

(8) Atari WP is page oriented—saved on a single page basis.



STARTING LINE

by James Capparell


If you are an ATARI owner new to the world of computing, you probably feel overwhelmed by the mass and complexity of the technical information necessary just to use your new computer. With your ATARI you received operating instructions for each piece of hardware. You have the BASIC Reference Manual and the BASIC self-teaching guide. At the store you saw a bewildering assortment of magazines, books and software! Where should you begin?

We here at **ANTIC** want you to know we realize


your dilemma. Our magazine, and especially this column, should help you sort things out. **STARTING LINE** will be written in simple English. We are starting with some glossary items, and are committed to developing this department and glossary. Please let us know what you want to see here. If something is puzzling you, ask.

Our more advanced readers can help too. Send us those items that have been helpful in your own learning process. We'll all be grateful.

GLOSSARY



CARTRIDGE—This term is probably familiar to those of you with video recorders or tape recorders. In our case **CARTRIDGE** refers to that plastic box with **BASIC** printed on it. This small unit fits into the available slot on your 400 or 800. A **CARTRIDGE** contains a kind of computer **MEMORY**. This memory, unlike **RAM** mentioned earlier, has data(mail) stored in it only once at the factory. The computer can go read the data(mail) many times, but the contents of the mailbox will always be the same. These cartridges are referred to as **ROM** Read Only Memory. Information can only be read from **MEMORY**, data is delivered or stored just once at the factory. This special kind of memory doesn't need a power source to remember data, the data is permanently stored in the cartridge.



CASSETTE RECORDER—This is nothing but a slightly modified, garden variety tape recorder. In big computer systems this would be called a magnetic tape storage unit. It's used to keep a permanent recording of your

favorite game program or data. If you want to use and reuse a program then you must save it on some permanent storage, such as a cassette tape.



CONSOLE—This is probably a familiar term. It's used to refer to that part of your ATARI with the typewriter like keys and the sockets for various cables. The **CONSOLE** is the heart of your computer system. Inside are the various integrated circuits that have made home computers possible. **CONSOLE** is synonymous with the computers logic circuitry, **MEMORY**, and keyboard.



CURSOR—This strange word means pointer or indicator. The **CURSOR** is the white rectangle that appears on your TV. screen whenever you turn your computer **CONSOLE** on. It really has a very useful function, it shows you where the next character will appear when you press a key. This is useful to know, as a few minutes sitting at your **CONSOLE** will demonstrate.


continued on page 8

Versa Computing

PRESENTS



VersaWriter DRAWING TABLET



COMPLETE HARDWARE / SOFTWARE GRAPHICS SYSTEM - \$299

- Hi-Res & Med-Res Draw
- Paint Brush-5 Sizes
- Point to Point / Line Draw
- Air Brush
- Color Fill-In
- Change Color Hue & Intensity
- Reverse Picture
- Scaling
- Split / Full Screen
- Save / Load / Erase
- Text Writer
- Fix X or Y Axis

Requires: Atari®300, 32K RAM, Basic Language Cartridge, Disk Drive

GRAPHICS COMPOSER

PADDLE / JOYSTICK GRAPHICS SOFTWARE - \$39.95

- Draw on Hi-Res Screens 7 or 8
- Save Pictures on Disk or Cassette
- Create Player / Missile Shapes Automatically
- Geometric Figures Program
- Add Text to Screen

Requires: Atari®800, 32K RAM, Basic Language Cartridge, Disk or Cassette

GLOBE MASTER

COMPLETE HI-RES GEOGRAPHY GAME - \$29.95

- 8 Hi-Res Color Maps
- U.S.-Europe-World-Asia-Africa-Australia
- Countries-Cities-Capitals-Oceans-Rivers-Mountains, Etc.
- Several Skill Levels

Requires: Atari®800, 32K RAM, Basic Language Cartridge, Disk

ATARI® is a registered trademark of Atari Inc.

MIND BOGGLERS

THREE STRATEGY GAMES

- Capture
- Mystery Box
- Simon Says

CASSETTE \$15.95 DISK \$19.95

Requires: Atari®400, 16K RAM, Cassette
Atari® 800, 24K RAM, Cassette or Disk



Versa Computing, Inc.

3541 Old Conejo Road, Suite 104
Newbury Park, CA. 91320 (805)498-1956

STARTING LINE

continued from page 6



MEMORY—Imagine all the mailboxes on your street standing in single file next to each other. Each mailbox has an individual address so that when I say deliver mail to #329 you should be able to find it. Computer MEMORY is similar to this row of mailboxes. Each MEMORY location has its own address and the ability to hold data. Additionally you may put(store) mail in a box(memory location) or take(read) mail from a box(memory location). Most importantly, this reading or storing of mail(data) may be performed in any order—randomly. So, reading or storing data into numbers 919, 105, 3, 1000 is perfectly O.K. This is often referred to as Random Access Memory (RAM). Your computer has many of these mailboxes, as many as 65536 addressable locations. Each location is capable of receiving data and storing the data until needed or until power is turned off.

10 REM *
20 X = 0
30 PRINT X
RUN

PROGRAM—also—**COMPUTER PROGRAM**—These terms indicate the special sequence of instructions that makes the circuitry inside the CONSOLE behave according to your desire. The instructions or program are delivered to MEMORY to be read later by the circuitry in the CONSOLE. The instructions tell the circuitry what to do. It's the CASSETTE RECORDER which will save the special sequence of instructions known as the PROGRAM from day to day.



CONTROL KEY—This key appearing next to the letter "A" on your keyboard is the abbreviation for CONTROL. When pressed it makes extra functions available. Usually you must press CTRL simultaneously with another key to enable the special function. For example, press CTRL and the key with the up arrow (next to the letter "P"). This will cause the CURSOR to move up one line.

7 ATARI PRODUCTS



THE MONKEY WRENCH

The Monkey Wrench is a machine language ROM cartridge which extends the operating capability of the ATARI 800 computer. The Monkey Wrench provides 9 new BASIC commands. They are:

- Auto Line Numbering — Provides new line numbers when entering BASIC program lines.
- Delete Line Numbers — Removes a range of BASIC line numbers.
- Renumber — Renumbers BASIC's line numbers including internal references.
- Cursor Exchange — Allows usage of the cursor keys without holding down the CTRL key.
- Change Margins — Provides the capability to easily change the screen margins.
- Memory Test — Provides the capability to test RAM memory.
- Hex Conversion — Converts a hexadecimal number to a decimal number.
- Decimal Conversion — Converts a decimal number to a hexadecimal number.
- Monitor — Enter the machine language monitor. In addition to the BASIC commands, the Monkey Wrench also contains a machine language monitor with 15 commands used to interact with the powerful features of the 6502 microprocessor

Cartridge and Manual — \$49.95

TYPING EXERCISE FOR ATARI

Typing Exercise is a great educational program for those who wish to improve their typing skills. Typing Exercise consists of two programs. TYPING 1 contains 13 typing drills; 9 drills progress thru alphabet and 4 thru numerics. TYPING 2 is a timed typing test. Time and words per minute are calculated for you. 810 Diskette — \$12.95

EPROM CARTRIDGE

The EPROM cartridge is a specially designed printed circuit board which will allow the user to install his or her own EPROM software. Uses 2716, 2532, 2732, type EPROMs

Cartridge and Manual — \$19.95

OTHER NICE STUFF

- Atari 400 16K Memory \$345.00
- Atari 800 16K Memory \$779.00
- Commodore UIC-20 Computer \$265.00
- Syncom or Memorex 5 1/4" disks 10 for \$30.00
- Mini-Flex disk File Case (holds 50 5 1/4" disks) \$24.95
- Ribbon Cartridge For Starwriter, Diablo, etc. Mylar — \$5.00, Cloth — \$6.00
- Starwriter 25 cps printer with tractors Parallel Interface \$1645.00

MAE (Macro Assembler Editor)

MAE contains the most powerful 6502 assembler and test editor currently on the market. If you are looking for a professional development tool that can greatly increase the productivity of your programming staff, then MAE may be the answer. The following are just some of MAE's features — Write for detailed spec sheet:

- MAE was written entirely in machine language — not in Basic like some assemblers we know of. Thus you get very fast and accurate assemblies.
- Contains a machine language monitor with numerous commands for debugging machine code.
- 38 error codes, 27 commands, 26 pseudo ops, and 5 conditional assembly operators.
- Contains a word processor, example files, and learning aid.
- Requires at least 32K of memory.
- All commands oriented for disk operation with ATARI 810 disk drive.
- Macro, Conditional Assembly, and Interactive Assembly capability.
- Sorted Symbol Table.
- Optionally creates executable object code in memory or relocatable object code on disk.
- 50 page manual.

810 Diskette and Manual — \$169.95 (requires license agreement)

MACRO ASSEMBLER AND TEXT EDITOR (ASSM/TED)

ASSM/TED is a high powered Macro assembler and text editor for use with ATARI 800 computers with at least 40K of memory.

- Written entirely in Machine Language — Not in Basic like some we know of. Thus you get very fast and accurate assemblies.
- 36 Error Codes, 26 Commands, 22 Pseudo ops.
- Macro and Conditional Assembly Capability.
- Input/Output of source files to cassette deck.
- Multiple source files on cassette may be assembled.
- Built-in machine language monitor.

Cassette and Manual — \$49.95
810 Diskette and Manual — \$53.95

MACHINE LANGUAGE MONITOR FOR ATARI

The Machine Language Monitor for ATARI provides 21 commands which allows the user the ability to interact with the 6502 microprocessor. It is compatible with ATARI BASIC and (once loaded) is ready for your use at anytime. The monitor comes on cassette or on diskette for the ATARI 810 disk.

Cassette version — \$24.95 Diskette version — \$29.95

MEMORY TEST FOR ATARI

When you purchase a new ATARI or add on new RAM modules, you need to be sure that the memory is working properly. Remember, you only have a short guarantee on your memory. Memory Test performs the most extensive memory check available.

Cassette and Manual — \$6.95

EASTERN HOUSE SOFTWARE
3239 Linda Drive
Winston-Salem, N.C. 27106 U.S.A.

Call Orders: (919) 924-2889




We Pay Postage on Prepaid
USA/Canada Orders. Add
\$7.50 to Cover Shipment Elsewhere



SYSTEMS GUIDE

MEMORY MAP—PAGE 0

by James Capparell



This department will be devoted to systems related questions, descriptions, and elaborations. Over the next few issues of **ANTIC** we will construct a complete memory map. A memory map is nothing but a list of the reserved memory locations in RAM and ROM with a description of the purpose of each location.

We will present the addresses in ascending order with decimal and hexadecimal (base 16) address equivalent. Listed next to the address will be the number of contiguous locations that are related by function. Lobyte-hiabyte address vectors are typical examples of two contiguous bytes referred to by one name. Printed next to the number of locations will be the name assigned the address(es) in the ATARI documentation. Finally we give a simple (and sometimes not so simple) explanation of the function.

For example: 12 \$C 2DOSINI
address 12 (decimal) or C (hexidecimal)
has 2 contiguous locations devoted to
the function named DOSINI.

This month, in **SYSTEM GUIDE**, we describe the low end of RAM memory. These RAM locations are initialized whenever you turn the ATARI on. The values are copied from the ROM data base. Addresses 0 to 255 decimal are known as page 0. We are only showing the first 128 locations, those we've deciphered so far. I would like to invite all of you to participate in this project. Help us pry into the secrets of these last 128 bytes. If you've discovered something interesting, don't keep it a secret, share it. Our intent is to provide the most accurate up-to-date information. If you see an error, have an addendum, or can provide an interesting example please forward it and we'll all be doing one another a service. THANKS.

0 \$0 1 LINZBS	???
1 \$1 1 LINZBS	???
2 \$2 2 CASINI	If cassette booted successfully during powerup then JSR thru here.
4 \$4 2 RAMLO	Ram pointer for memory test.
6 \$6 1 TRAMSZ	Temporary register for RAM size.
7 \$7 1 TSTDAT	RAM test data register.
8 \$8 1 WARMST	Warmstart flag set true (-1) when S/RESET pushed. When (=0) false then powerup retry.
9 \$9 1 BOOT	Boot flag success indicator.
10 \$A 2 DOSVEC	Disk software start vector.
12 \$C 2 DOSINI	Used to store address of initialization of application upon DOS boot JSR indirect thru here to initialize application.
14 \$E 2 APPMHI	Contains highest address of RAM needed by user. Screen handler opens S: only if no RAM needed below this address.
16 \$10 1 POKMSK	IRQ service uses and alters POKMSK. These are POKEY interrupts. Shadow for IRQEN[\$D20E]. bit 7=1 Break key interrupt enable. bit 6=1 Other key interrupt enable.

continued on next page

	bit 5 = 1 Serial input data ready interrupt enable.
	bit 4 = 1 Serial output data needed interrupt enable.
	bit 3 = 1 Serial out transmission finished interrupt enable. bit 2 = 1 Timer 4 interrupt enable.
	bit 1 = 1 Timer 1 interrupt enable.
17 \$11 1 BRKKEY	This is initialized to -1 by OS. (1 = no break key pressed Monitored by keyboard also screen editor. Break during I/O returns status of \$80. This is set to 0 when break key is pressed.
18 \$12 3 RTCLOCK	Updated every vblank interrupt (1/60 SEC.). Called frame counter initialized to 0 and overflows to 0. The least significant byte of counter is \$12 and it uses 16msec units.
21 \$15 2 BUFADR	Indirect buffer address register. Used as temporary page 0 pointer to current disk buffer.
23 \$17 1 ICCOMT	Command for vector ????
24 \$18 2 DSKFMS	Disk file manager pointer ????
26 \$1A 2 DSKUTL	Disk utilities pointer ????
28 \$1C 1 PTIMOT	Printer timeout every printer status request. Typical timeout for the 825 is 5 seconds. Initialized to 30 sec.
29 \$1D 1 PBPNT	Print buffer pointer, index into printer buffer ranges from 0 to value of PBUFSZ.
30 \$1E 1 PBUFSZ	Print buffer size of printer record for current mode. normal = 40 bytes double width = 20 bytes sideways = 29 bytes status = 4
31 \$1F 1 PTEMP	Printer handler uses this temp register to save value of character to output to printer.
32 \$20 1 ZIOCB	IOCBAS ICHIDZ HANDLER INDEX # FF = FREE IOCB
33 \$21 1 ICDNOZ	Device # (DRIVE #)
34 \$22 1 ICCOMZ	Command code
35 \$23 1 ICSTAZ	Status of last IOCB action.
36 \$24 1 ICBALZ	Buffer address low byte.
37 \$25 1 ICBAHZ	Buffer address high byte.
38 \$26 1 ICPTLZ	Put byte routine (address - 1) low byte.
39 \$27 1 ICPTHZ	Put byte high byte.
40 \$28 1 ICBLIZ	Buffer length low byte.
41 \$29 1 ICBLHZ	Buffer length high byte.
42 \$2A 1 ICAZ1Z	Auxiliary information first byte.
43 \$2B 1 ICAX2Z	Auxiliary information second byte.
44 \$2C 1 ICSPRZ	Spare bytes local CIO use.
45 \$2D 1 ICSPRZ	Spare bytes local CIO use.
46 \$2D 1 ICSPRZ	IOCB Number multiplied by 16.
47 \$3F 1 CIOCHR	Character byte for current operation.
48 \$30 1 STATUS	Internal status storage.
49 \$31 1 CHKSUM	Single byte sum with carry to least significant bit.
50 \$32 1 BUFRL0	Pointer to data buffer low byte. ??? which buffer.
51 \$33 1 BUFRI	Pointer to data buffer high byte.
52 \$34 1 BFENL0	Next byte past end of data buffer. (lobyte)
53 \$35 1 BFENHI	Next byte past end of data buffer. (hibyte)
54 \$36 1 CRETRY	Number of command frame retries.
55 \$37 1 DRETRY	Number of device retries.
56 \$38 1 BUFRLF	Buffer full flag.

MEMORY MAP *continued*

57 \$39 1 RECVDN	Receive done flag.
58 \$3A 1 XMTDON	Transmission done flag.
59 \$3B 1 CHKSNT	Checksum sent flag.
60 \$3C 1 NOCKSM	No checksum follows data flag.
61 \$3D 1 BPTR	Cassette record data index into data portion of record being read or written values range 0 to current value BLIMI [\$28A] when BPTR=BLIM then buffer CASBOFF [\$3FD] is empty if reading or full if writing
62 \$3E 1 FTYPE	Interrecord Gap type. Copy of ICAX2Z from open command FTYPE 0 normal gaps. FTYPE 0 continuous gaps.
63 \$3F 1 FEOF	Cassette end of file flag used by cassette handler to indicate end of file.
64 \$40 1 FREO	Beep count retain and count number of beeps requested of beep routine by cassette handler during open processing.
65 \$41 1 SOUNDR	Noisy I/O flag when I/O is done buzzer sounds poke 0 and it won't buzz.
66 \$42 1 CRITIC	Defines critical section (if non-zero) checked on NMI process after stage 1 processed.
67 \$43 7 FMSZPO	Disk file manager zero page.
74 \$4A 1 CKEY	Cassette boot request flag on powerup (coldstart). Start key checked, if pressed then CKEY is set.
75 \$4B 1 CASSBT	Cassette boot flag.
76 \$4C 1 DSTAT	Display status used by display handler.
77 \$4D 1 ATTRACT	Attract flag set to 0 by IRQ whenever a key is pressed. Incremented every 4 seconds by stage 1 Vblank. When value is 127 then value is set to \$FE until attract mode is terminated.
78 \$4E 1 DRKMSK	Dark attract mask=\$FE when attract mode inactive.
79 \$4F 1 COLRSH	Attract color shifter XOR'd with playfield colors. At stage 2 Vblank color registers are XOR'd with COLRSH and DRKMSK then sent to hardware color registers. When attract inactive COLRSH=0 and DRKMSK=\$F6 reducing luminence 50% and COLRSH=RTCLOCK+1 affecting color change every $256/60=4.1$ sec.
80 \$50 1 TEMP	Used by display handler in moving data to and from screen.
81 \$51 1 HOLD1	Same as [\$50]. When BASIC in use these 2 locations called LOMEM and point to 256 byte buffer at end of OS. RAM used to tokenize one line of BASIC.
82 \$52 1 LMARGN	Column of left margin of text screen, initialized to 2.
83 \$53 1 RMARGN	Column of right margin of text screen initialized to 39. Margins are user alterable. Ignored in every mode but 0.
84 \$54 1 ROWCRS	Display row number used in graphics screen and mode 0. Range 0 - 191. This location and COLCRS define the cursor location for the next data element to be read/written to main screen segment.
85 \$55 2 COLCRS	Display column number used in graphics and mode 0 (lobyte). Range 0 - 319 (hibyte). Home position is 0,0 for both graphics and text.
87 \$57 1 DINDEX	Display mode current screen mode obtained from low order 4 bits of most recent open AUXI byte.
88 \$58 2 SAVMSC	Lowest address of display memory this location corresponds to the upper left corner of screen (lobyte).
90 \$5A 1 OLDROW	These next 3 locations are updated from ROWCRS and COLCRS before every operation???
91 \$5B 2 OLDCOL	These variables used only in draw and fill commands (lobyte).
93 \$5D 1 OLDCHR	Retains value of character under visible text cursor. Used to restore character when cursor moves.
94 \$5E 2 OLDADR	Retains memory address of current visible text cursor location. Used in conjunction with OLDCHR to restore character value when cursor moves lobyte.
96 \$60 1 NEWROW	Point draw goes to.

continued on page 15

PILOT YOUR ATARI

by Ken Harms

PILOT is not just another computer language, it is designed to meet some of the needs of new programmers, educators, and children.

PILOT grew out of work by John Starkweather at the University of California at San Francisco back in 1972. He wanted a language which would make it easy to write tutorial programs for students, programs capable of recognizing responses other than the typical "1, 2, 3 multiple choice" style prevalent in current teaching programs. With PILOT, it is easy to ask, "Who was the first president of the United States?" and record and score answers such as "President Washington," "I believe it was G. Washington," "George Washington," "GEORGE WASHINGTON," "Washington". PILOT needs only three statements to accomplish this type of user interaction.

Dean Brown at Stanford Research Institute proved that teachers could understand PILOT, and students loved it. Since PILOT is word-oriented, as contrasted to BASIC's number orientation, it naturally fits the "riddle" and "tell-a-story" type of program which youngsters like. At the same time, Seymour Papert at MIT developed a new way to conceptualize and teach about geometry and shapes. This development was called "Turtle Graphics" and proved ideal for use in home computers. Atari wisely included a Turtle Graphics command language with the PILOT module.

The old "Cartesian Coordinate" system required commands like this:

Start at position $X=20$ and $Y=10$. Draw a line to $X=40$ and $Y=10$; draw a line to $X=40$ and $Y=30$; draw a line to $X=20$ and $Y=30$; finally, draw a line to $X=20$ and $Y=10$.

Can you guess what figure this is? How big it is? Using Turtle Graphics the same pictures can be drawn like this:

Do this 4 times: draw a line 20 space long, turn Right 90 degrees.

The box shape is more apparent and the commands are more readily understood. Only 14 or 15 commands represent the core of PILOT. All are only one or two characters long and easily remembered—a "J" is the "jump to" command. Anyone who is not a good typist will appreciate the wisdom of short commands. Short, easy to remember commands and Turtle Graphics combined with Atari's wonderful screen editor will make almost anyone's introduction to computing more pleasurable and rewarding.

Finally, PILOT programs become naturally organized around modules. This encourages a well-structured programming style. (Oh yes, PILOT includes full use of the Atari sound system—more on that in a later article.)

PILOT is available in two packages; one is just the language cartridge and users guide (about \$90), the other is a well documented comprehensive package that I recommend (about \$130). This package includes:

PILOT CARTRIDGE—(love those cartridges; little fingers can't destroy them)

STUDENT PILOT—a cleverly illustrated learner's manual for the new programmer.

PILOT PRIMER—an instruction manual for the experienced programmer.

DEMONSTRATION TAPES—two cassettes showing language, color, graphics, and sound.

POCKET CHART—presents all commands in an easy-to-use format.

I like Atari's version of PILOT. There are still a few rough spots; not all syntax errors are caught, the manuals do not include indices, several commands are not explained in the manual, and a few typographical errors remain to confuse you. In spite of these few "start-up" problems Atari PILOT meets its "primary design goals"; it is "consistent and easy to learn . . . it allows reasonable access to the Atari system capabilities, but not at the user's expense."

We intend to help you get the most from PILOT. Watch for programming tips, warnings, and more help. Address your questions to:

K.W. Harms
c/o **ANTIC**
297 Missouri St.
San Francisco, CA 94107



GTIA

Over the coming months you'll be hearing more and more about GTIA, the new television interface chip. It is designed to replace the CTIA chip in all ATARIs currently on the market. In fact if you purchased your machine after January 1982, chances are you already have the GTIA installed. The rest of us will probably get a chance to purchase it as an upgrade.

The GTIA provides three additional graphics modes. These modes are variations of the normal Graphics 8 mode you are probably familiar with. The difference is that each pixel is 2 color clocks wide and 1 scan line high. This gives an effective resolution of 80 horizontally and 192 vertically. This is an unusual pixel size, wide and flat. The "pixel" or picture element is the smallest dot that can be manipulated on your television screen. The pixel size varies depending on the graphics mode chosen.

The three new modes are known as modes 9, 10 and 11. Graphics 9 allows 16 different luminances of the same hue (color).

Graphics 10 allows 9 different colors and independent luminances.

Graphics 11 allows 16 different colors and one luminance.

The additional colors available with GTIA will make some interesting effects possible. We plan to fully explore this new graphics enhancement in future issues.

RESOURCES

For intermediate and advanced users the following references are recommended. These manuals are available from:

Customer Support
Attn: Julie Naughton
Atari Inc.

1312 Crossman Ave.
Sunnyvale, CA 94086
or phone 800-672-1430 in CA
800-538-8547 outside CA

Technical User's Notes

CO16555

This is an indispensable reference.

\$29.95

CA residents add 6.5% tax

Outside CA add \$3.50 shipping charge

ATARI 400/800 Operating System

Source Listing

CO17893

Listing of 10K ROM excluding floating point routines.

\$19.95

CA residents add 6.5% tax

Outside CA add \$3.50 shipping

Announcing


ATARI

software

from the
authors of
An Invitation to Programming

exciting games
and educational programs
for kids,
teenagers
and
adults
featuring sound
and color graphics.

available on
guaranteed-to-load
cassettes
at fine
computer dealers in your
area or,
write us directly for
descriptive materials



Program Design, Inc.
Department CA
11 Idar Court
Greenwich, CT 06830

203-661-8799

TAPE TOPICS

HELP FOR

CASSETTE OWNERS

by Gary Phillips

The ATARI 400 or 800 with a cassette recorder is more useful than most users are aware. Many ATARI disk users have ignored the cassette unit as a cumbersome device at best. If your programming technique does not exploit the strengths and circumvent the weaknesses inherent in a cassette-only system then it is very cumbersome. When used with operating techniques like those we will be discussing in this department the cassette unit is a cost effective storage medium.

A TAPE OPERATING SYSTEM APPROACH

In the 1960s, large companies effectively used tape only systems for program and data storage and retrieval. A methodology called a Tape Operating System (TOS) was developed to simplify the programmers interaction with these devices.

A TOS was there to provide users with the ability to easily load, save, merge, and read or write program files to tape. With a few simple techniques these functions can be combined into a simple ATARI TOS.

The basic procedure described for the program recorder in the Atari documentation is to use one side of a cassette tape per program. This uses lots of tape and is slow and clumsy. Putting multiple programs on one tape by skipping forward to specific numbers on the tape counter seems to introduce as many problems as it solves.

A MULTI-PROGRAM "TAPE LOAD"

The key to more efficient use of the cassette lies with ability to merge two programs into one "tape load." This is done by numbering the two programs into different ranges of BASIC statement numbers, then merging them using the ENTER "C" command. Now a CSAVE will save the two programs together, and the next CLOAD will load both programs. Merging in a third and fourth program is done using the same method. Even a 16K ATARI will easily hold a dozen or more small-to-medium sized BASIC programs.

A MENU TO FIND PROGRAMS

One problem with having a number of different programs in memory at the same time is how to find and run the one you want. A simple solution to this problem is to include a "menu" program in the "tape load". The menu program contains the name and starting line number of each program in data statements. It displays a numbered list of programs on the screen, saving the starting numbers in an array by program number. It then invites the user to key in the number of the selected program. This number (REPLY in the sample listing) is used in the GOTO to go to the desired starting line number from the array of numbers. Menu numbers not in use are directed back to the menu by the starting line number of zero.

The menu system becomes a closed loop if every program in the tape load ends with a GOTO to the menu. I like to do this by ending all of the programs in a tape load with GOTO 0, and adding a line 0 GOTO 15000, if 15000 is the starting line number of the menu. This has two properties. A simple RUN will always display the menu. A program can be developed with easy-to-type low line numbers without interfering with the menu set-up.

MAKING MULTI-PROGRAM TAPE LOADS

This whole approach assumes you have a way to renumber BASIC programs. You can keep a renumbering program as part of all your tape loads, if you've got plenty of memory. Or, keep one in LIST "C" format on tape so you can write a new program on a tape by itself with LIST "C", specifying the line numbers the program uses, then clear memory with NEW, reload the program with ENTER "C", then merge in the renumbering program with ENTER "C". Once the new program is renumbered, resave it with LIST, load (CLOAD) the tape load you want it in and merge it in with ENTER "C". Now just put the name and starting line number in the list of data statements and you're in business.

continued

**MULTI-PROGRAM TAPE LOADS,
A FEW PROBLEMS**

This technique will make life simpler but a few problems remain. Programs will be executed one after the other without an intervening END statement. This will lead to errors from multiple DIMENSION statements unless each program module begins with a CLR. Since BASIC considers all of the programs in the tape load as one continuous program the pointer to the current DATA statement is apt to get confused. This is remedied by including a RESTORE statement at the beginning of every program module. Another problem is that the same variable names may be reused in the separate program modules of a tape load. This will cause errors if the programs assume variables are set to zero or blank. This is corrected by initializing variables at the start of every module. Re-using variable names is useful to reduce program size. Remember there are only 128 available and it's often necessary to reuse names.

A more insidious problem occurs when a statement number is mistyped. This may omit the line from the program module you meant to change and clobber the line in another module. You can protect yourself against this by using separate working tapes for each program module and merging the working tapes to create a final tape load.

IN THE FUTURE

In future TAPE TOPICS we will discuss faster load techniques (600 baud too slow, how about 1200 or 2400 baud). We'll try to shorten the 20 second tape leader to just a couple of seconds. We will try to serve as a clearing house for tape problems and what to do about them. If you have questions, problems or suggestions send them to me c/o **ANTIC**.

See you tape users again in June!

Sample listing

```

0 GOTO 15000
15000 REM CODE TO SELECT A PROGRAM FROM
15005 REM A MULTI-PROGRAM TAPE LOAD
15010 CLR :DIM SNA(15):DIM NAME$(25)
15020 RESTORE (710):REM RESET DATA STMTS
15035 PRINT " "
15040 PRINT "NO. STMT # PROGRAM NAME"
15050 FOR N=1 TO 8
15060 READ NAME$,STMTNO
15070 SNA(N)=STMTNO
15080 PRINT N;" ";STMTNO;" ";NAME$
15090 NEXT N
15100 PRINT "NO. OF DESIRED PROGRAM"
15110 PRINT "OR 0 TO EXIT TO 'READY'"
15120 TRAP 15120:INPUT REPLY
15130 IF REPLY<1 THEN END
15140 IF REPLY>8 THEN 15000
15150 GOTO SNA(REPLY)
15160 DATA SAMPLE PROGRAM A,18000
15170 DATA SAMPLE PROGRAM B,19000
15180 DATA SAMPLE PROGRAM C,20000
15190 DATA NOT DEFINED,15000
15200 DATA NOT DEFINED,15000
15210 DATA NOT DEFINED,15000
15220 DATA NOT DEFINED,15000
15230 DATA NOT DEFINED,15000
15240 DATA NOT DEFINED,15000
18000 REM SAMPLE PROGRAM A
18010 PRINT "SAMPLE PROGRAM A RUNNING"
18020 GOTO 0:REM RETURN TO MENU
19000 REM SAMPLE PROGRAM B
19010 PRINT "SAMPLE PROGRAM B RUNNING"
19020 GOTO 0:REM RETURN TO MENU
20000 REM SAMPLE PROGRAM C
20010 PRINT "SAMPLE PROGRAM C RUNNING"
20020 GOTO 0:REM RETURN TO MENU
    
```

MEMORY MAP *continued from page 11*

97 \$61 2 NEWCOL	Column draw command uses.
99 \$63 1 LOGCOL	Points at column in logical line. A logical line can contain up to 3 physical lines. This variable is used by display handler.
100 \$64 2 ADRESS	Temporary storage holds contents of SAVMSC [\$58]. and SAVMSC+1 [\$59].??
102 \$66 2 MLTTMP	OPNTMP first byte used in open as temp.??
104 \$68 2 SAVADR	???
106 \$6A 1 RAMTOP	RAM size defined by power on logic.
107 \$6B 1 BUFCNT	Screen editor current logical line size.
108 \$6C 2 BUFSTR	Editor low byte???
110 \$6E 1 BITMSK	???
111 \$6F 1 SHFAMT	Pixel justification???
112 \$70 2 ROWAC	Accumulator control row point plotting and increment and decrement functions???
114 \$72 2 COLAC	Controls column point plotting.

MEMORY MAP (Page 0) to be continued in next issue.

SOFTWARE REVIEWS

Eastern House Software
3239 Linda Drive
Winston-Salem, N.C. 27106
\$49.95 from dealer or direct from publisher
Monkey Wrench (TM)

At last someone has put the right slot of the 800 to good use. This ROM-based product is designed to be installed in the right-hand slot of the 800 and used in conjunction with BASIC.

This product will provide the BASIC programmer with nine new commands: (A) auto line numbering, (D) delete range of lines, (M) change margins, (T) memory test, (R) renumber, (E) cursor movement without control key, (\$) hex conversion, (#) decimal conversion, and a machine language monitor providing another 15 commands.

The BASIC commands must be used in immediate mode and must be preceded by the > prompt. The > symbol must appear in column one followed immediately by the command letter. Any necessary parameters are separated by a space.

The Machine Language Monitor is entered by the * command. The MLM prompt is a period (.). The 15 MLM commands are; (M) display memory range, (I) interrogate memory (similar to M but also displays ASCII equivalents), (R) display all 6502 register contents, (:) alter memory, (;) alter 6502 registers, (G) goto address and execute code, (X) exit MLM and return to DOS, (S) save memory to cassette, (L) load memory from cassette, (H') hunt for ASCII string, (H) hunt for hex string, (D) disassemble memory, (,) alter disassembled code, (B) calculate branch, and (A) enter ATARI DOS. Three normal MONKEY WRENCH commands are available; E, #, and \$.

As good as this product is there are a couple of caveats. First, the cartridge uses address space hex 8000 to hex 9FFF. This will reduce your 48K machine to 32K, 8K used by the BASIC cartridge and 8K used by Monkey Wrench. Second, this product uses part of page 6 for variable storage which is sure to cause some conflict. One other important point is that care is needed when inserting the cartridge, it's very easy to put it in backwards. This is probably my only real criticism since it would have been very easy to mark "front" on the circuit board.

I must give this product high marks. It is extremely useful, the little manual is excellent, and they've provided a second ROM socket for expansion. If you are a heavy BASIC user I recommend it. (Jim)

Santa Cruz Educational Software
5425 Jigger Dr.
Soquel, Ca. 95073
Tricky Tutorials (TM)

These programs shine a much needed light inside the ATARI. If you've had your hands on the O.S./Hardware manual, the one that costs 30 dollars and is guaranteed to keep you up nights, then you know we need better instruction. If you've looked with envy at the animation in Missile Command (TM), the smooth scrolling graphics window in Crawford's Eastern Front and the mixed text modes in File Manager (TM) 800, then look again at these tutorials. They make these techniques more accessible. There is a caveat, these programs are meant to instruct with the full attention and motivation of the user. If you're content to just watch, go to a movie, if you want to learn about the working internals of your ATARI and use the special features to design professional programs then load a TRICKY TUTORIAL (TM). It's almost impossible to use these products without getting some new insights. Each program is designed to give you immediate feedback using the most powerful tool at hand, your graphics display. The computer is used to provide the answer to your "I wonder what will happen when . . ." questions. Should you purchase these products be prepared to get involved, it's the only way.

There are currently six TRICKY TUTORIALS; 1) Display list, 2) Scrolling, 3) Page flipping, 4) Animation, 5) Player-Missiles, 6) Sound and Music.

Programs may be purchased individually or in a package of six. The six-pack comes in a nicely produced three-ring binder. All programs are available on tape and disk. All require 16K for cassette and 24K for the disk versions. The exception is the tutorial on Player-Missiles, #5, requiring 32K and costing \$29.95. This was not available at the time this review was written.

I recommend these products; the price is right; the information necessary, and the value received high. (Jim)

SUBSCRIBE

TO



- BEGINNERS
- OLD TIMERS
- STARTING LINE
- LANGUAGES
- EDUCATION
- GAMES & DIVERSION
- PRODUCT REVIEWS
- BUSINESS
- PROGRAM LISTINGS
- PUBLIC DOMAIN SOFTWARE

1 YEAR (6 ISSUES) \$15

Enclose check or money order payable to:

ANTIC Publishing
297 Missouri Street
San Francisco, Ca. 94107

Name

Street

City, State

Zip

Please check where appropriate:

I own:

- 800 Cassette K Memory
- 400 Interface Disk
- Modem Printer

CHICKEN—A GREAT GAME

Why did the chicken cross the road?


To lay an egg.

Actually, our chicken is trying to score points by getting safely across this busy highway. Each time he makes it adds to his score, but the cars go faster and faster. If he gets hit, the SPCA sends an ambulance and the cops slow the traffic down for a while.

This clever game can be yours for the copying, courtesy of Stan Ockers, who wrote it in BASIC and Assembly language and Mike Dunn, editor of ACE Newsletter (Eugene, Oregon), who printed it first, and gave us permission to pass it on to you.

The game is "in the public domain," meaning you can do anything you want with it except sell it.

We intend to bring you entertaining and useful programs that are in the public domain as a regular feature of our magazine.



```

0 REM **ACE NEWSLETTER 3662 VINE MAPLE DRIVE EUGENE, OR 97450**
1 REM **FEB 1982 ISSUE** $10 YEAR**
2 REM *****
4 REM ** CHICKEN **
6 REM ** S.O. 12-81 **
8 REM *****
10 OPEN #1,4,0,"K!":DIM L$(20),S$(20),C$(20)
15 ? "INITIALIZING ..."
20 REM ** PAGE 6 ROUTINES AND DATA **
40 FOR I=1536 TO 1587:READ A:POKE I,A:NEXT I
41 REM ** VERTICAL BLANK ROUTINE **
42 DIM VB$(210):FOR I=1 TO 210:READ A:VB$(I)=CHR$(A):NEXT I
43 REM ** LOAD PLAYER ROUTINE **
45 DIM LD$(73):FOR I=1 TO 73:READ A:LD$(I)=CHR$(A):NEXT I
47 REM ** INSERT ADDRESS OF ROVT. IN PAGE 6 **
48 A=ADR(VB#):B=INT(A/256):POKE 1540,B:POKE 1538,A-256*B
50 DATA 104,160,52,162,6,169,7,76,92,228,104,160,98,162,228,169,7,76,92,228
52 DATA 120,120,120,120,30,57,81,105,15,15,15,0,0,0,52,53,54,55,2,2,3,4,12,0,0,0,15,11,11,11
54 REM ** LINE 56 - CHANGE 24 TO 56 TO SKIP ORTHO. **
55 REM ** LINE 56 - CHANGE 28 TO 34 FOR CONT. MOV. **
56 DATA 72,138,72,152,72,162,0,189,120,2,29,44,6,160,15,24,176,32,201,15,240,28,201,14,208,2,160,13,201,13
57 DATA 208,2,160,14,201,11,208,2,160,7,201,7,208,2,160,11,192,15,240,6,61,48,6,157,28,6,152,61,44,6,157,44,6
58 DATA 232,224,4,144,195
60 DATA 162,0,189,32,6,133,203,189,36,6,133,204,189,40,6,133,209,198,209,16,7,232,224,4
65 DATA 144,232,176,91,189,28,6,133,207
70 DATA 70,207,176,26,188,24,6,192,1,240,19,208,1,200,177
75 DATA 203,240,6,136,145,203,200,208,245,136,145,203,222,24,6,70,207,176,29,188,24,6,200,192,254,176,21
80 DATA 177,203,208,247,136,177,203,240,6,200,145,203,136,208,245,200,145,203,254,24,6,70,207,176,3,222,20
85 DATA 6,70,207,176,3,254,20,6,189,20,6,157,0,208
90 DATA 24,144,154,162,4,189,11,208,240,5,169,0,157,39,6,202,208,243,104,168,104,170,104,76,98,228
100 DATA 234, 234, 234, 104, 104, 104, 170, 189, 32, 6, 133, 186, 189, 36, 6, 133, 187, 104, 133, 213, 104, 133, 212
110 DATA 189, 24, 6, 133, 195, 169, 0, 168, 192, 255, 176, 35, 196, 195, 240, 5, 145, 186, 200, 208, 243, 162, 0, 161,
212, 240, 11
120 DATA 145, 186, 230, 212, 200, 192, 255, 176, 11, 208, 241, 169, 0, 145, 186, 200, 192, 255, 144, 249, 96, 234, 23
4
150 REM ** CAR COLOR DATA **
160 FOR I=1 TO 20:READ A:C$(I)=CHR$(A):NEXT I
170 DATA 24,60,218,68,90,186,70,150,54,232,74,168,88,154,21,252,200,76,228,28
190 REM ** DEFINE PM AREA - SINGLE LINE RESOL. **
200 A=PEEK(106)-16:POKE 54279,A:PM=256*A
205 REM ** PLAYER MISSILE POINTERS **
210 FOR I=4 TO 7:POKE 1568+I,A+I:NEXT I
  
```

continued on next page

```

212 FOR I=1568 TO 1571:POKE I,0:NEXT I
218 REM ** DATA FOR PLAYER IMAGES **
220 FOR I=PM TO PM+121:READ A:POKE I,A:NEXT I
230 DATA 16,56,16,56,40,16,16,16,146,254,254,124,56,56,40,40,40,40,108,0
232 DATA 126,195,219,219,91,219,219,219,219,91,219,219,195,126,0
234 DATA 126,195,219,219,218,219,219,219,219,218,219,219,195,126,0
236 DATA 33,34,150,84,57,30,60,123,159,30,52,86,151,36,194,193,0
238 DATA 16,56,16,56,40,16,16,56,124,254,186,56,56,40,40,40,44,32,96,0
240 DATA 16,56,16,56,40,16,16,146,214,124,56,56,40,40,40,104,8,12,0
242 DATA 126,255,173,173,239,199,199,199,239,173,173,255,126,0
270 REM ** INIT. HORIZ. AND VERT. POS. **
280 RESTORE 282:FOR I=1556 TO 1563:READ A:POKE I,A:NEXT I
282 DATA 120,120,120,120,30,57,81,105
288 REM ** INIT COLORS **
290 DIF=3:BONUS=300:POKE 704,40:CP=0:FOR I=1 TO 3:POKE 704+I,ASC(C*(CP+I)):NEXT I:CP=3:BPOS=5
295 REM ** DRAW ROADS - SET PRIORITY **
300 GRAPHICS 17:FOR I=1 TO 20:L$(I)=" ":NEXT I
305 FOR I=2 TO 20 STEP 2:S$(I)="-":S$(I-1)=" ":NEXT I
310 POSITION 0,2:? #6;L$:POSITION 0,11:? #6;L$:POSITION 0,13:? #6;L$:POSITION 0,22:? #6;L$
312 POSITION 0,5:? #6;S$:POSITION 0,8:? #6;S$:POSITION 0,16:? #6;S$:POSITION 0,19:? #6;S$:POKE 710,90
340 REM ** INIT. AND PRINT INFO. - RESET TIMER **
350 SCORE=50:POSITION 0,1:? #6;"score      time ":POSITION 0,23:? #6;"dif      high ";
360 POSITION 0,0:? #6;SCORE:POSITION 15,22:? #6;HIGH:POKE 77,0:POKE 19,0:POKE 20,0
365 REM ** INIT. PM GR. - FLAGS **
370 POKE 559,62:POKE 53277,3:I1=68:I2=88:FL=I1
375 REM ** LOAD PLAYERS - SET COLORS - PLAYER SIZES **
380 LD=ADR(LD$):A=USR(LD,0,PM):A=USR(LD,1,PM+21):A=USR(LD,2,PM+21):A=USR(LD,3,PM+21)
385 A=USR(1536):REM * INSERT VBI ROUTINE
390 POKE 53257,1:POKE 53258,1:POKE 53259,1:POKE 623,1
393 REM ** INIT. SPEEDS **
395 POKE 1576,2:FOR I=1577 TO 1579:POKE I,RND(0)*DIF+1:NEXT I
398 POSITION 1,22:? #6;DIF
400 REM ** IF CARS OFF SCREEN, CHANGE LANES **
410 IF PEEK(1557)<15 AND PEEK(1561)=57 THEN POKE 1561,193:A=USR(LD,1,PM+36):POKE 1585,7:GOSUB 1000:P
OKE 705,C
420 IF PEEK(1557)>240 AND PEEK(1561)=193 THEN POKE 1561,57:A=USR(LD,1,PM+21):POKE 1585,11:GOSUB 100
0:POKE 705,C
430 IF PEEK(1558)<15 AND PEEK(1562)=81 THEN POKE 1562,169:A=USR(LD,2,PM+36):POKE 1586,7:GOSUB 1000:P
OKE 706,C
440 IF PEEK(1558)>240 AND PEEK(1562)=169 THEN POKE 1562,81:A=USR(LD,2,PM+21):POKE 1586,11:GOSUB 100
0:POKE 706,C
450 IF PEEK(1559)<15 AND PEEK(1563)=105 THEN POKE 1563,145:A=USR(LD,3,PM+36):POKE 1587,7:GOSUB 1000
:POKE 707,C
460 IF PEEK(1559)>240 AND PEEK(1563)=145 THEN POKE 1563,105:A=USR(LD,3,PM+21):POKE 1587,11:GOSUB 10
00:POKE 707,C
465 REM ** PRINT TIME - CK. FOR TIME UP **
470 TIME=30-PEEK(19):POSITION 16,0:? #6;TIME;" ":IF TIME<=0 THEN 910
472 REM ** RESET SOU. - HORN ROUT. **
473 SOUND 0,0,0,0
475 IF RND(0)>0.5 THEN SOUND 1,0,0,0
480 IF RND(0)<0.05 THEN SOUND 1,7,12,10
482 REM ** CHICKEN STOMP **
485 P=PEEK(1564):IF P>15 OR P<13 THEN 500
490 IF P=15 THEN A=USR(LD,0,PM):GOTO 500
492 IF FL=I1 THEN FL=I2:SOUND 0,16,6,8:GOTO 496
494 IF FL=I2 THEN FL=I1:SOUND 0,22,6,8
495 REM ** CK. FOR REACHING BOTTOM **
496 A=USR(LD,0,PM+FL)
500 IF PEEK(1560)>230 THEN 810
505 REM ** CK. FOR COLLISION **
510 IF PEEK(53260)=0 THEN 410
515 REM ** SPLAT **
520 A=USR(LD,0,PM+51):FOR J=1 TO 3:SOUND 0,RND(0)*255,8,8:SOUND 1,RND(0)*255,8,8
525 POKE 704,PEEK(704)+8:FOR I=1 TO 30:NEXT I:NEXT J:SOUND 0,0,0,0:SOUND 1,0,0,0:POKE 704,40
527 REM ** DECREASE SCORE - CK FOR 0 **
530 SCORE=SCORE-20:POSITION 0,0:? #6;SCORE;" ":IF SCORE<=0 THEN 702
533 REM ** MOVE UP - RELOAD BIRD - RESET COLL. **
535 POKE 1560,PEEK(1560)-24:A=USR(LD,0,PM):IF DIF>1 THEN DIF=DIF-1
590 POKE 53278,0:GOTO 395
700 REM ** SCORE = ZERO **
702 POSITION 3,2:? #6;"CHICKEN'S DEAD"

```

CHICKEN

continued from page 20

```
704 REM ** AMBULANCE **
705 C=1
706 IF PEEK(1576+C)=0 THEN C=C+1:GOTO 706
707 IF C>3 THEN C=1
713 POKE 1576+C,1:POKE 1560+C,PEEK(1560):POKE 1556+C,220:A=USR(LD,C,PM+107)
715 FOR J=1 TO 6:FOR P=60 TO 40 STEP -2:SOUND 0,P,10,8:FOR I=1 TO 6:NEXT I
716 NEXT P:FOR P=40 TO 60 STEP 2:SOUND 0,P,10,8:FOR I=1 TO 6:NEXT I:NEXT J:SOUND 0,0,0,0
718 REM ** NEW HIGH SCORE? **
720 A=USR(1546):IF SCORE>HIGH THEN HIGH=SCORE:POSITION 15,22:? #6;HIGH
730 POSITION 2,6:? #6;"press FIRE button":POSITION 4,7:? #6;"to play again"
732 FOR I=53248 TO 53251:POKE I,0:NEXT I:SOUND 0,0,0,0:SOUND 1,0,0,0
735 REM ** WAIT FOR BUTTON **
740 IF STRIG(0)=1 THEN 740
745 REM ** PM GRAPHICS OFF **
750 POKE 53278,0:POKE 53277,0:A=USR(1546):GOTO 280
800 REM ** BK TO TOP - STOP MOVEMENT OF BIRD **
810 POKE 1560,30:A=USR(LD,0,PM):POKE 1576,0
815 REM ** SIGNAL AND INCREMENT SCORE **
820 FOR I=1 TO 5:FOR J=10 TO 5 STEP -1:SOUND 0,J,14,8:SOUND 1,J,2,8:NEXT J:SOUND 0,0,0,0:SOUND 1,0,0,0
825 A=USR(LD,0,PM+68):FOR J=1 TO RND(0)*30:NEXT J:A=USR(LD,0,PM+88)
830 SCORE=SCORE+DIF*2:POSITION 0,0:? #6;SCORE;" " :NEXT I
840 IF DIF<9 THEN DIF=DIF+1
841 REM ** CK FOR BONUS **
842 IF SCORE<BONUS THEN 850
844 SOUND 0,25,10,10:BONUS=BONUS+300:P=PEEK(19):IF P<11 THEN POKE 19,0:GOTO 848
846 POKE 19,P-10
848 POSITION BPOS,13:? #6;"":BPOS=BPOS+1
850 GOTO 390
900 REM ** TIME'S UP ROUTINE **
910 POSITION 5,2:? #6;"TIME'S UP"
920 GOTO 720
990 REM ** CHANGE CAR COLOR SUB.**
1000 CP=CP+1:IF CP=20 THEN CP=1
1010 C=ASC(C*(CP)):RETURN
```



SYNCRO, INC.

SOFTWARE DIVISION
31332 VIA COLINAS SUITE 107
WESTLAKE VILLAGE, CALIF. 91361
213-889-9508
T.M.

SOFTWARE FOR

ATARI

400/800



© 1982

ALL GRAPHIC ADVENTURE. CAN YOU FREE YOURSELF FROM ALIEN HELL? IN THE SPIRIT OF THE "MAZE OF DEATH".

JOYSTICK REQUIRED

16K Tape \$14.95

24K Disk \$19.95



© 1981

A NEW GRAPHIC ADVENTURE, SIT BACK WITH YOUR JOYSTICK AND DIVE THE DEEP BLUE SEA. RENT RIG AND CREW TO PLUNDER THE STRANGE TREASURES THAT AWAIT YOU.

JOYSTICK REQUIRED

24K Tape \$16.95

32K Disk \$21.95



© 1981

ARE YOU A SUPERAGENT? A FAST ACTION, ALL GRAPHIC GAME WITH PLENTY OF SPECIAL EFFECTS IN A MAZE LIKE UNDERGROUND COMPLEX. FIVE LEVELS OF PLAY IN REAL TIME.

JOYSTICK REQUIRED

16K Tape \$12.95

24K Disk \$17.95

VISA AND MASTERCARD ACCEPTED.
CALIF. RES. PLEASE ADD 6% SALES TAX
PLEASE INCLUDE \$1.50 SHIPPING
DEALER INQUIRIES WELCOME

Bay Area Systems Engineering

7015 Geary Blvd.

San Francisco, CA 94121

(415) 751-6808

SOFTWARE & SERVICES

Consultations for Computer &
Software Selection

Custom Designed Programs

Small Business Package

OS Enhancements

ATARI BOOKS

ATARI How To BOOK


105 USEFUL FUNCTIONS FOR ATARI

Fundamental Programs

VOL 1 SMALL BUSINESS

VOL 2 PERSONAL COMPUTING

each \$11.95 with Documentation
on cassette \$11.95 diskette \$19.85



FORTH FACTORY

by Bob Gonsalves

In this premier issue of **ANTIC** I would like to introduce a facility I believe many programmers using the Atari 800/400 will find very useful. The tiny MULTI-TASKING kernel described here allows one to easily create machine language routines that run as part of the vertical blanking interrupt servicing routines. These routines may perform such diverse tasks as moving a player/missile image, blinking the cursor, fine scrolling of the bit map, and various musical applications.

The run-time kernel of the multi-tasking system is contained on screen 36 and 37. There are three variables that are accessed by the routine. **TASK#** indicates which of several tasks will execute during the current vertical blanking interval. It is used to index into a table, called **TASK-TABLE**. The table is 16 bytes long, and holds the entry points for up to 8 separate machine code tasks. **TASK#** indicates which of these entries is to be executed; the entry point address is transferred from the indexed location in the task table, to **JUMPER** and an indirect jump is made through **JUMPER**.

The routines of **scr#37** perform the necessary run-time operations. The master **vblank** routine is called **NEW-VBLANK**. It in turn calls two other routines. The first, **WHOSE-TURN**, uses the value of **TASK#** to find the appropriate slot in the task table, which contains the address of a subroutine. Notice that if the most significant byte of the entry in the table is set to 0, we can assume that the slot really does not contain a valid address. Otherwise, the entry point address held at that slot is transferred to **JUMPER** and we vector through **JUMPER** to the actual subroutine that we want to execute.

When we return from that subroutine, we next execute **NEXT-TASK**, which simply bumps **TASK#** by 1, rolling over to 0 if it is greater than three. We then leave the **NEW-VBLANK** routine by jumping to the code in the Atari Operating System that updates various hardware registers from their shadow registers.

Screen 35 establishes the equates for interfacing with the OS. **SET-VBLANKD** provides the linkage between Forth and Atari supplied routine for changing the vertical blanking vectors and countdown timers. To install a new vertical blanking vector, you simply push the new routine address onto the stack before call **SET-VBLANKD**.

Screens 38 and 39 provide us with a means of adding and deleting entries from the task-table. The routines **MTOFF** and **MTON** disable and enable the multi-tasking respectively, by changing the deferred vertical blanking vector, using our **SET-VBLANKD** routine. **SNEAK** is a way of ensuring that operations that change some variable read by the multi-tasking do so only when the multi-tasking is disabled. **SCAN-TASKS** is used to find an entry in the task table. It can be used to either find an available slot (an entry in the table = 0) or to find the slot holding the address of a task routine. **INSTALL** and **REMOVE** will perform these actions for us. They can be used in the form

INSTALL BLINK (for example)

or
REMOVE BLINK

where **BLINK** is one of the tasks we have defined.

TASK: and **;TASK** are defining type words which will allow us to create machine code routines, which are subsequently installed in the task table. An important feature of the compilation security of these words is that the routines *are not* installed into the task table if some sort of structural error was generated by assembling them.

Finally, we can show some screens, that, when compiled, will install some tasks into the multi-tasking system. Once this is done, the routines operate *independently* of what you are doing as you program in the high level language. They have been integrated into the interrupt structure of the Atari Operating System. Screen 41 provides a task which will period-

continued on page 24



GEBELT

The name says it all . . .

**For the games that say it all . . . see
your Atari® 400/800 dealer.**

ically blink the cursor. Once installed, you can vary the rate of blinking by writing a value to variable RATE.

Screens 42 & 43 show another amusing background task. Here we monitor the keyboard hardware register (address D209 hex). If the value there is different from the value contained at OLD.KEY, then we change the variable SOUNDING to indicate that we want to make noise. The current key value then becomes the OLD.KEY value. The key value is also stored to the channel 1 audio frequency register. The next time the routine executes, we store a value, derived from the envelope table, into the channel 1 audio control register. The index variable INTO is decremented by 1 each time, until it is less than 0 (we've loaded the last value from the envelope). At this point SOUNDING is set to 0 and we resume checking the hardware register.

Other routines that various people have designed for BASIC could be integrated into this system. These would include the joystick controlled text cursor, and using some keys (space bar, Start key, etc) to temporarily halt program execution. Those who are contemplating purchasing the Forth system produced by Pink Noise Studios might be interested to know that a complete player graphics system is supported using this multi-tasking system to refresh the player images.

Should you have any questions regarding this column or pns fig FORTH—address them to me in care of **ANTIC**.

NOW ON CASSETTE!!!



BUDGETMASTER (\$34.95)

- is a professional budgeting tool geared to develop and maintain even the most complex budget. At the same time, the easy to read manual and the friendly prompts allow even the beginning budgeter without computer experience to develop a budget to meet their needs.
- includes the option for hardcopy printout of any of the 39 different displays as well as an option to save your data to cassette or diskette.
- requires 32K RAM

CHECKBALANCER (\$16.95)

- although the perfect companion program to the Budgetmaster, stands alone as a great tool to balance your checking account(s), with a monthly breakdown of your spending pattern.
- allows you to store your spending analysis to tape or diskette, or use **Checkbalancer** in conjunction with the **Budgetmaster**, and automatically rewrite the expense data of the latter program process.
- requires 16K RAM

BUY BOTH PROGRAMS TOGETHER FOR \$39.95 AND SAVE \$11.95!!!

Send check or money order plus \$1.50 for shipping and handling and save C.O.D. fee (Sorry, no credit cards)

Ohio Residents Add Sales Tax

(DEALER INQUIRIES WELCOME)

Sunrise Software® • P.O. Box 25621 • Garfield Hts., Ohio 44125
(216) 581-9359

*Atari is a Trademark of Atari, Inc.

```
( 39 new-vblank process )
decimal
; TASK: create [compile] assembler
assembler mem ( switches now )
here ( save pfa )
0 scan-tasks ( find entry in table )
!csp
mtoff ;
; ;TASK current @ context !
?csp ( everything secure )
! ( store pfa into table entry )
mton ; ( do multi-tasking )
; INSTALL
[compile] ' 0 scan-tasks
sneak ; ( the change into table )
; REMOVE [compile] ' scan-tasks
0 swap sneak ; ( delete by nulling )

( 41 trying a blinking task )
hex
0 variable time-left
0 variable rate
0 variable blank-state
d401 constant chact1 ( char control )
task: blink
time-left lda, 0=
if, blank-state lda, 0= NOT
if, 0 # lda,
else, 1 # lda,
then,
chact1 sta, blank-state sta,
rate lda, time-left sta,
else, time-left dec,
then, rts,
;task

( 42 sound handler example )
hex
label envelope
a0 c, a1 c, a2 c, 00 c, a5 c, a6 c,
a8 c, 00 c, ab c, ac c, 00 c, af c,
c variable into
0 variable sounding
0 variable old.key
decimal

( 43 sound handler example )
hex
0 voice
task: key.noise
sounding lda, 0= not
if, into ldx,
envelope ,x lda, aadc sta,
volume sta,
dex, 0<
if, 0 # lda, sounding sta,
c # ldx, then, into stx,
else, d209 lda, old.key cmp, 0= not
if, aadf sta, old.key sta,
1 # lda, sounding sta,
then,
then, rts,
;task
decimal
```

SUBSCRIBE TO ANTIC

See page 18

FORTH FACTORY *continued*

```
( 35 new vblank vectors )
HEX
e45c constant SETVBV
e460 constant VBLANKI
e463 constant VBLANKX
224 @ constant VBLANKD ( OS dependant )
code Set-Vblankd ( addr is on stack )
  pha, tya, pha, xsave stx,
  bot lda, pha, ( IS ON STACK )
  bot 1+ lda, tax, pla, tay,
  7 # lda, setvbv jsr,
  pla, tay, pla, xsave ldx,
  POP jmp,
end-code
decimal
( the 7 # lda, would be changed to 6 )
( for the immediate vblankd vector )
( and to 1-5 for timers 1-5 )

( 36 setting up task table )
00 variable TASK#
00 variable JUMPER ( indirect jump )
label TASK-TABLE
00 , 00 , 00 , 00 , 00 , 00 , 00 , 00 ,

( 37 setting up task table )
code WHOSE-TURN
  task# lda, .a asl, tax,
  task-table 1+ ,x lda, 0= not
  if, jumper 1+ sta, ( install pointer )
  task-table ,x lda, jumper sta,
  jumper ) jmp,
  then, rts,
end-code
code NEXT-TASK clc, task# lda,
  1 # adc, 03 # and, task# sta, rts,
end-code
( 4 entries in table are checked )
code NEW-VBLANK
  ' whose-turn jsr,
  ' next-task jsr,
  vblankd jmp, end-code
decimal

( 38 new-vblank process )
decimal
: SCAN-TASKS ( match val )
  -1 swap 32 0 ( flag for 0< )
  do i task-table + dup ( addr in tabl )
    @ 3 pick = ( match to given val )
    if rot drop ( loose 0< flag )
      swap leave
    else drop ( addr or flag )
      then
        2 +loop drop ( given val )
        dup 0< 44 ?error ;
( task table in lower 32K of memory !! )
: MTOFF vblankd set-vblankd ;
( disable and enable multi-tasking )
: MTON ' new-vblank set-vblankd ;
: SNEAK mtoff ! mton ;
( synchronized storage )
```

An essential book for beginner and intermediate Forth programmers is:

Starting Forth
by Leo Brodie
Prentice-Hall
\$15.95 softcover

The FORTH language is commercially available for the ATARI from three sources.

1. **Mountain View Press**
P.O. Box 4656
Mountain View, CA 94040
Publishes "pns" Fig Forth
2. **ATARI Program Exchange (APX)**
P.O. Box 427
155 Moffett Park Drive
Sunnyvale, CA 94086
Publishes Fig Forth
3. **Quality Software**
6660 Reseda Blvd.
Suite 105
Reseda, CA 91335
Publishes Fig Forth

If you want to find out what all the excitement is about get one of the Forth implementations listed above and this book. Oh, and read **FORTH FACTORY**. Bob Gonsalves writes this column for us and is the implementor of the version available from Mountain View Press. Watch for a comparison of these three products in a future issue.

COMPUTER Calligraphy?

Well, not really! But with **FONTEEDIT** you can design your own character sets for the ATARI. You can create special graphic symbols for use in games, or even make a Russian alphabet. After you design a new set of characters, save them on disk or tape for later use. We provide a subroutine that you can use in your own programs to load a custom character set.

FONTEEDIT is very easy to use: you use a joystick to design a large copy of the new character as you individually control whether each of the 64 dots that make-up a character are *on* or *off*. A menu of **FONTEEDIT** commands on the screen shows you how to control this powerful yet simple-to-use character editor. The 56-page *User's Guide* provides clear, easy-to-understand instructions for **FONTEEDIT**. There is also a detailed, line-by-line description that explains exactly how **FONTEEDIT** works.

In addition to the **FONTEEDIT** program, our IRIDIS #2 package includes three custom character sets, a routine to load the custom characters for use in your own programs, and a program that shows the use of custom-designed graphic characters. IRIDIS #2 is an exceptional value: only \$17.95 for the cassette, (requires 16K) or \$20.95 for disk (requires 24K). California residents add 6% tax. VISA and MASTERCARD welcome.

**THE CODE
WORKS**

Box 550
Goleta, CA 93116
805-683-1585

ATARI is a registered trademark of Atari, Inc.

ASSEMBLER/EDITOR CARTRIDGE

TRICKS OF THE TRADE

by James Capparell

Do you often wonder how some of the incredible graphics were achieved in your favorite program. Looking at someone else's program is an excellent method of self-instruction. The problem is that often we only have the assembled (object) code in our possession. The L option of the A/E cartridge makes it possible to recreate source code from the object code. This is a useful feature. The catch is the inability to save the output of the L function to disk. Follow these simple instructions and you will be able to save the disassembled output to disk.

1. Load the object code to be disassembled. Unnecessary if you are dealing with ROM code.
2. Note the first memory address (hex) where the disassembly process is to begin.
3. Enter the debug mode of A/E by typing BUG and pressing return.
4. Start the disassembly process at the hex address noted in step 2. Enter the L command followed by the hex address and press return. This command disassembles 20 lines of code and displays the results on your TV. (IMPORTANT—Note the last address printed on your screen).
5. Move the cursor to first line on screen using control and arrow keys and insert 2 blank lines using the shift and insert keys.
6. Return to the Edit mode by typing X and pressing return. The screen will still display the disassembled output.
7. Again move the cursor to the first line on the screen and enter Auto line numbering mode by typing NUM, press return. This will cause the cursor to print out the number 10 if this is the first time the auto numbering command has been executed or the next number incremented by 10. It will also place the number and the cursor at the start of the first line of disassembled code.
8. Using the control and delete key delete all characters upto two spaces prior to the assembly language mnemonic. The two spaces are necessary to conform to A/E spacing requirements.
9. Press return to enter this line of code into the source file. This will also generate the next line number incremented by 10. The cursor will appear at the beginning of the next line.

10. Continue with all 20 lines. When done, if you have more code to disassemble return to step 3. This can go on indefinitely or until source buffers are full at which time you will need to save the source file. The auto line numbering remembers the last line number and will correctly generate the proper sequences between 20 line chunks. This technique can be useful when you're trying to decipher code. Labels can be added in place of addresses in the operand fields and the corresponding label fields. This entire process is called unassembling object code. It can be very useful when used on small subroutines.

Note: *This same process also works on EDASM, Optimized Systems Software's assembler/editor.*

WHAT'S IN A NAME ANTIC

Many old timers know that ANTIC is the name of just one of the large scale integrated (LSI) circuits inside the ATARI. This chip functions as a graphics controller and allows the ATARI to perform graphics better than almost any machine in it's price range and many costing much more. We liked the name ANTIC because of it's connotation of playfulness and it's direct connection with our machines. Our reference on the cover to "resource" means that we want to be a source of supply, support, or aid. We intend to live up to our name and have registered it as our trademark. Watch for software under our label.

MORE ON NAMES

Many of you probably are not aware of what the term ATARI means. The word itself originates from the ancient game GO. The term is used to warn one's opponent that capture of territory is imminent. It's a polite way of saying "attack." Since I am a GO player, I've always appreciated the name given to my favorite computer. (JC)

RENAISSANCE TECHNOLOGY CORPORATION

LETTER QUALITY PRINTER/TYPEWRITER



\$1495.00*
TYPEWRITER & INTERFACE

\$295.00*
INTERFACE

The Olympia ES100 typewriter connected to Apple, Atari, NEC or TRS-80 with the Ren Tec interface provides for the first time a truly cost-effective, letter quality printer that also functions as a typewriter, interactively.

*Commodore IEEE slightly higher

OLYMPIA ES100

- 92 character electronic keyboard
- 8 character buffer memory
- Dual pitch, 10 and 12
- 17.5 C.P.S.
- All settings from keyboard
- Auto. correction
- Daisy type print mechanism
- Cartridge ribbons
- 14 1/8 inches writing line
- 1400 dealers nationwide

REN TEC ES

- Installation in 15 minutes using existing ES100 cables
- CMOS logic for minimal drain on ES100 power supply
- Hi or low true status bits
- Accepts RS232 serial with 7 crystal controlled Baud rates
- Accepts Centronics parallel interface
- Selectable auto. line feed



NEW
ATARI®-850 PARALLEL
TO
SERIAL INTERFACE
For Diablo 630
RT-1090
\$160

WIZARDRY IN ELECTRONICS FOR ATARI®

MODEL	DESCRIPTION	RETAIL
AT-3000 10-KEYPAD	An Accounting-Style Keypad for remote input into ATARI joystick ports, featuring 16 fully-programmable keys.	\$124.95
ES-4020 INTERFACE	Ren Tec ES 4020 Interface converts the Olympia ES 100 or the 101 typewriter to a letter quality printer. (Parallel cable req. RT-1122)	295.00
RT-1122	Parallel Cable. Used in connecting the ES SERIES parallel interfaces to the Atari 400 or Atari 800 with an Atari 850 Interface Module.	65.00

DEALER INQUIRIES WELCOME

RENAISSANCE TECHNOLOGY CORPORATION

3347 VINCENT ROAD
PLEASANT HILL, CA 94523
(415) 930-7707

ASSEMBLY LANGUAGE

by Matt Loveless

The following assembly language program will allow a BASIC program the capability of selectively (masking) ignoring any key(s) on the keyboard. This function is accomplished by first using the BASIC program, SETUP, to choose those keys which are to be enabled or masked. The output of program SETUP is a file containing string data and machine code. This file may be appended to your own program as a sub-routine and once called the desired masking effect will be enabled.

This routine puts to good use locations \$208,\$209, called VKEYBD. VKEYBD is accessed whenever a key is pressed on the keyboard. Normally VKEYBD contains \$FFBE, the start of the system's keyboard interrupt service routine. Our setup routine BEGIN (see listing) puts \$620 the start of our own keyboard

interrupt routine in locations \$208,\$209. Now whenever a key is pressed our routine is executed which either ignores a key by simply performing an RTI (return from interrupt) instruction or jumps to the normal system routine at \$FFBE and allows the key to be accepted.

To use the BASIC program, SETUP, type it in and save it. When SETUP is executed it will ask whether keys should be Enabled(E) or Masked(M). When in mode E all keys are initially masked (disabled) and you must selectively re-enable each key. If M mode is chosen then all keys are initially enabled and you must selectively mask (disable) each key.

In the following example all computer output is printed in bold letters. See page 30 for SETUP.BAS listing.

```
0000      10 Listing 1 .TITLE"KEY MASK 1.0"
          20 ;*****
          30 ;***      KEY MASK 1.0      ***
          40 ;***(c) 1982 by, Matt Loveless***
          50 ;*** written especially for ***
          60 ;***      ANTIC magazine      ***
          70 ;*****
          80 ;
          90 ;*** EQUATES ***
          0100 ;
D209      0110 KBCODE =      $D209      ; Key board code
0208      0120 VKEYBD =      $0208      ; Keyboard IRQ ve
00CB      0130 TABLE =      $CB        ; Free zero page locations
          0140 ;
          0150 ;=====
          0160 ; INIT ROUTINE: Puts my keyboard handler online
          0170 ;=====
0000      0180      * =      $0600      ; Page 6
0600 78    0190 BEGIN SEI          ; Disable IRQ's
0601 AD0802 0200 LDA VKEYBD      ; Point the keyboard vector to my
0604 8D3006 0210 STA JMPLOC+1    ; routine, and set my routine's JMP
0607 AD0902 0220 LDA VKEYBD+1    ; instruction to point to the OS's
060A 8D3106 0230 STA JMPLOC+2    ; routine
060D A920    0240 LDA #MYRTN&255 ; Lo byte of my routine
060F 8D0802 0250 STA VKEYBD
0612 A906    0260 LDA #MYRTN/256 ; Hi byte of my routine
0614 8D0902 0270 STA VKEYBD+1
0617 68      0280 PLA          ; Remove USR amount byte
0618 68      0290 PLA          ; Get hi byte of the mask string
0619 85CC    0300 STA TABLE+1
061B 68      0310 PLA          ; Get lo byte
061C 85CB    0320 STA TABLE
061E 58      0330 CLI          ; Re-Enable IRQ's !
061F 60      0340 RTS          ; Return to BASIC
          0350 ;=====
          0360 ;THE NEW KEYBOARD INTERRUPT ROUTINE
          0370 ;=====
0620 98      0380 MYRTN TYA          ; Keyboard IRQ vector points here
0621 48      0390 PHA          ; Save Y-register
0622 AC09D2 0400 LDY KBCODE      ; Get the key code
0625 B1CB    0410 LDA (TABLE),Y ; and use it to index into the string
0627 D004    0420 BNE GONORM ; Is it masked out?
0629 68      0430 PLA          ; YES - then ignore key and
062A A8      0440 TAY          ; restore registers
062B 68      0450 PLA
062C 40      0460 RTI          ; Exit the keyboard interrupt
          0470 ;
062D 68      0480 GONORM PLA      ; Restore Y-register
062E A8      0490 TAY
062F 4C0000 0500 JMPLOC JMP $0000 ; Go to normal system keyboard routine
0632      0510 .END
```

ASSEMBLY LANGUAGE *continued*

Would you like to ENABLE keys(E) or MASK keys(M)?

E(return)

—ENABLE MODE—

ALL KEYS ARE DISABLED.

PRESS KEY(S) YOU WANT TO ENABLE.

ABC(return)

press START key

WHICH LINE NUMBER TO START SUBROUTINE ON?

2500(return)

ENTER OUTPUT FILE NAME, INCLUDE DEVICE.

D:TEST.BAS(return)

NOTE: Subroutine will be written to disk at this point.

To test the TEST.BAS program.

NEW(return)

ENTER"D:TEST.BAS"(return)

RUN(return)

NOTE: Only key AB and C will be recognized all other keys are masked (disabled).

SUBSCRIBE TO ANTIC

See page 18

RAM

For ATARI

48K RAM BOARD FOR THE 400

- Increases memory capacity
- Reduces power consumption
- Reduces heat

48K Board (400) \$299

32K Board (800) \$150

**INTEC
PERIPHERALS
CORP**

3389 Del. Rosa Avenue
San Bernardino, CA 92404

(714) 864-5269

ATARI, 400, 800 are Trademarks of ATARI, Inc.

Atari is a reg.™ of Atari, Inc.

UPGRADE YOUR ATARI®

REPORT CARD

STUDENT *Basic A+*

PARENT *Optimized Systems Software*

SUBJECTS

ADVANCED I/O **A+**

STRUCTURED PROGRAMMING **A+**

PLAYER/MISSILE GRAPHICS **A+**

DEPARTMENT

EASE OF USE **A+**

FLEXIBILITY **A+**

COMPATIBILITY **A+**

THE ONLY LOGICAL UPGRADE FOR ATARI BASIC!

GRADUATE TO BASIC A+ FROM THE AUTHORS OF ATARI BASIC!

BASIC A+

BASIC A+ will rate an A+ from any Atari user! Upward compatible with Atari Basic, it adds statements and features that enhance the Atari 800's real power, flexibility, and ease of use: Superior I/O features for business and other applications. Additional file manipulation commands. Significant help in program development and debug. Structured programming aids. And MORE! A partial list of the enhancements of BASIC A+ includes:

**RPUT/RGET (record I/O) BPUT/BGET (binary I/O) ERASE
PRINT USING SET TAB INPUT"..." DIR PROTECT RENAME
TRACE WHILE...ENDWHILE IF...ELSE...ENDIF
SUPERB PLAYER/MISSILE GRAPHICS**

BASIC A+ requires a disk and 32K bytes of RAM. Since no cartridge is used, BASIC A+ will take advantage of all the RAM (48K bytes) in a maximum Atari 800 system (recommended) \$80

OS/A+

Completely compatible with Atari's DOS (version 2), but with an advanced, command-driven console processor. Simple. Flexible. Powerful. With an easy-to-use BATCH capability. OS/A+ INCLUDES all the following utilities (and more):

EASMD (Editor/ASSEMBLER/Debug) is our upgraded all-in-one assembly language development package for the 6502 microprocessor. The editor — with such features as FIND and REPLACE — can even edit BASIC A+ programs. The assembler can include multiple source files in a single assembly.

DUPDSK and FORMAT create master or slave disks. Make sector by sector copies of any OS/A+ disk.


COPY a simple, single file copy utility.

All of this power is included in our OS/A+ package \$80

For the utmost in capability and flexibility, our combination system — **BASIC A+** and **OS/A+** — is available \$150

**SOFTWARE IN A CLASS BY ITSELF
AVAILABLE NOW THROUGH LOCAL DEALERS**

Optimized Systems Software, Inc.
10379 Lansdale Ave., Cupertino, CA 95014
(408) 446-3099



GALACTIC CHASE™

The aliens have swept undefeated across the galaxy. You are an enterprising star ship captain—the final defender of space.

As the aliens attack, you launch a deadly barrage of missiles. Flankers swoop down on your position. Maneuvering to avoid the counterattack, you disintegrate their ships with your magnetic repellers.

As your skill improves, the attackers increase their speed. And as a last resort, the aliens use their invisible ray to slow the speed of your missile launcher.

GALACTIC CHASE provides Atari owners with the most challenging one or two person game in the galaxy.

Atari 400/800 16k. Written in machine language. Requires joysticks. 24.95 for cassette or 29.95 for disk plus 2.00 shipping. Michigan residents add 4%.

Payment: Personal Checks—allow three weeks to clear.



American Express, Visa, & Master Charge—include all numbers on card. Please include phone number with all orders.

Check the dealer in your local galaxy. Dealer inquiries encouraged.

SPECTRUM
COMPUTERS

26618 Southfield
Dept S. Lathrup Village, MI. 48076
(313) 559-5252

ANTIC, THE ATARI RESOURCE

ASSEMBLY LANGUAGE *continued*

Listing 2

```

5 REM ** SETUP.BAS **
8 REM ** written for ANTIC by Matt Loveless
10 DIM KEY$(260),WRT$(1000),A$(1),FILE$(20)
15 ? "}"
20 ? "Would you like to ENABLE keys (E)?" " or MASK
    keys (M)";
25 INPUT A$
30 IF A$="E" THEN GOTO 100
40 IF A$="M" THEN GOTO 200
50 ? "? GOTO 20
100 REM --- ENABLE KEYS ---
110 REM ALL KEYS START OUT DISABLED
120 KEY$(1)=CHR$(0);KEY$(260)=CHR$(0);KEY$(2)=KEY$
130 GRAPHICS 0;SETCOLOR 2,0,0;? "?
131 ? " --- ENABLE MODE ---
132 ? " ALL KEYS ARE DISABLED"
135 POKE 764,255;REM CLEAR CHARACTER BUFFER
140 POKE 752,1;? "? " PRESS KEY(S) YOU WANT TO
    ENABLE,"
150 POSITION 2,21;? " press [START] after all keys"
155 ? " are entered,"
160 P=PEEK(764);IF P<255 THEN 180
170 IF PEEK(53279)>7 THEN 1000
175 GOTO 160
180 P=P+1;KEY$(P,P)=CHR$(1)
190 POKE 764,255;GOTO 160
200 REM --- DISABLE MODE ---
210 REM ALL KEYS START OUT ENABLED
220 KEY$(1)=CHR$(1);KEY$(260)=CHR$(1);KEY$(2)=KEY$
230 GRAPHICS 0;SETCOLOR 2,0,0;? "?
231 ? " --- DISABLE MODE ---
232 ? " ALL KEYS ARE ENABLED"
235 POKE 764,255;REM CLEAR CHARACTER BUFFER
240 POKE 752,1;? "? " PRESS KEY(S) YOU WANT TO
    DISABLE,"
250 POSITION 2,21;? " press [START] after all keys"
255 ? " are entered,"
260 P=PEEK(764);IF P<255 THEN 280
270 IF PEEK(53279)>7 THEN 1000
275 GOTO 260
280 P=P+1;KEY$(P,P)=CHR$(0)
290 POKE 764,255;GOTO 260
1000 REM --- CREATE STRING ---
1010 GRAPHICS 0;SETCOLOR 2,8,2;? "?
1015 ? " WHICH LINE NUMBER TO STAR"
1016 ? " SUBROUTINE ON";
1020 TRAP 1020;INPUT AMT
1025 ? "? " "ENTER OUTPUT FILE NAME, INCLUDE DEVICE";
1026 INPUT FILE$
1028 OPEN #1,8,0,FILE$
1030 WRT$=STR$(AMT)
1032 WRT$(LEN(WRT$)+1)="DIM KEY$(257);KEY$(1,50)="
1040 WRT$(LEN(WRT$)+1)=CHR$(34);REM QUOTATION MARK
1050 WRT$(LEN(WRT$)+1)=KEY$(1,50)
1060 WRT$(LEN(WRT$)+1)=CHR$(34);REM QUOTATION MARK
1070 PRINT #1;WRT$
1080 AMT=AMT+10;
1090 WRT$=STR$(AMT);WRT$(LEN(WRT$)+1)="KEY$(51,120)="
1100 WRT$(LEN(WRT$)+1)=CHR$(34);REM QUOTATION MARK
1110 WRT$(LEN(WRT$)+1)=KEY$(51,120)
1120 WRT$(LEN(WRT$)+1)=CHR$(34);REM QUOTATION MARK
1130 PRINT #1;WRT$
1140 AMT=AMT+10
1150 WRT$=STR$(AMT);WRT$(LEN(WRT$)+1)="KEY$(121,200)="
1160 WRT$(LEN(WRT$)+1)=CHR$(34);REM QUOTATION MARK
1170 WRT$(LEN(WRT$)+1)=KEY$(121,200)
1180 WRT$(LEN(WRT$)+1)=CHR$(34);REM QUOTATION MARK
1190 PRINT #1;WRT$
1200 AMT=AMT+10
1210 WRT$=STR$(AMT);WRT$(LEN(WRT$)+1)="KEY$(201,257)="
1220 WRT$(LEN(WRT$)+1)=CHR$(34);REM QUOTATION MARK
1230 WRT$(LEN(WRT$)+1)=KEY$(201,257)
1240 WRT$(LEN(WRT$)+1)=CHR$(34);REM QUOTATION MARK
1250 PRINT #1;WRT$
1260 AMT=AMT+10
1270 WRT$=STR$(AMT)

```

ASSEMBLY LANGUAGE

continued on next page

ASSEMBLY LANGUAGE *continued*

```
1280 WRT$(LEN(WRT$)+1)=" DATA 120,173,8,2,141,48,6,173,9,2,141,49,
      6,169,32,141,08,02,169,6,141,9,2"
1290 PRINT #1;WRT$
1300 AMT=AMT+10;WRT$=STR$(AMT)
1310 WRT$(LEN(WRT$)+1)=" DATA 104,104,133,204,104,133,203,88,96,
      152,72,172,9,210,177,203,208,4,104"
1320 PRINT #1;WRT$
1325 AMT=AMT+10;WRT$=STR$(AMT)
1330 WRT$(LEN(WRT$)+1)=" DATA 168,104,64,104,168,76,0,0"
1340 PRINT #1;WRT$
1350 AMT=AMT+10;WRT$=STR$(AMT)
1360 WRT$(LEN(WRT$)+1)="FOR ZGZ=1536 TO 1585:READ
      ZGX;POKE ZGZ,ZGX;NEXT ZGZ"
1370 PRINT #1;WRT$
1380 AMT=AMT+10;WRT$=STR$(AMT)
1390 WRT$(LEN(WRT$)+1)=" X=USR(1536,ADR(KEY$)); REM
      INITIALIZE"
1400 PRINT #1;WRT$
1410 CLOSE #1
1420 END
```

ASSEMBLER LANGUAGE

The following products are recommended.

The ATARI Assembler

by Don & Kurt Inman
Reston Publishing Company
\$14.95 hardbound.

Suitable for beginners. See review in this issue.

6502 Assembly Language Programming

by Lance Leventhal
Osborne/McGraw Hill, Inc.
\$15.95

A necessary reference text. Over the heads of beginners, but an inevitable purchase.

Assembler Editor language cartridge

Atari Inc.
\$54.95

Most suitable for beginners. NOTE: EADASM from O.S.S. is very similar. For experienced Assembly language users there are better packages, watch for our recommendations in coming issues.

USER NOTES

Did you buy your computer after January 1982? If so, look for a "G" sticker on your console carton. This means you have the new GTIA chip (see page 13). Also look for a yellow "C" sticker and a blue "DS" sticker on your disk drive carton. These two stickers indicate that you have the new fast format ROM C chip and a data separator circuit. With with the addition of these electronic parts your disk drive will load programs faster and be more reliable. THANKS ATARI!!

Fantasy for your ATARI

Ali Baba and the forty thieves

By Stuart Smith




Guide your alter ego, Ali Baba, through the thieves' mountain den in an attempt to rescue the beautiful princess. Treasure, magic, and great danger await you! One or more human players can guide up to seventeen friendly characters through the many rooms, halls, and caves. Some characters wander around randomly, making each adventure a little different.

ALI BABA AND THE FORTY THIEVES is written in high resolution color graphics and includes music and sound effects. Adventures can be saved to disk and resumed at a later time. Requires 32K.

On Diskette Only — \$32.95

Graphics for your ATARI Character Magic

By Chris Hull



It's easy to create your own character sets and save them to diskette or cassette with CHARACTER MAGIC. But this is not just another character editor. CHARACTER MAGIC helps you use all the character types that the Atari is capable of, including descending characters (8 x 10 dots) and two types of five-color character graphics not supported by Atari's Operating System. Documentation includes examples of display lists that let you use these "secret" graphics modes. Requires 32K.

Cassette or Diskette - \$29.95

FOR OUR COMPLETE LINE OF ATARI SOFTWARE
PLEASE WRITE FOR OUR CATALOG

ASK FOR QUALITY SOFTWARE products at your favorite computer store. If necessary you may order directly from us. MasterCard and Visa cardholders may place orders by calling us at (213) 344-6599. Or mail your check or bankcard number to the address above. California residents add 6% sales tax. *Shipping Charges:* Within North America orders must include \$1.50 for shipping and handling. Outside North America the charge for airmail shipping and handling is \$5.00. Pay in U.S. currency.

QS QUALITY
SOFTWARE

6660 Reseda Blvd., Suite 105, Reseda, Ca. 91335

(213) 344-6599

*Indicates trademarks of Atari.

ATARI 400/800 OWNERS: THERE'S A MICROCONNECTION™ FOR YOU! —

Now you can direct-connect to the telephone with or without the 850™ interface, there's also a serial port to drive a printer, optional autodial and autoanswer, and smart terminal software! Prices start at \$199.50 For more details write or phone:



the microperipheral corporation

2643A - 151st Pl. N.E.
Redmond, WA 98052
(206) 881-7544



THE



BIG MATH ATTACK™

Challenging new math program . . .

Sharpen your skills by entering the correct answer before the equation 'lands' on your city! Provides hours of educational entertainment.

Features:

- Full color
- High resolution graphics
- Animation
- Sound
- Four math functions (+, -, ×, ÷)
- Two levels for each function

Recommended for grades 1-6. Available for the ATARI & APPLE II.

ATARI 16K (cass.) \$20.00

ATARI 24K (disk) \$25.00

Requires ATARI BASIC cartridge

APPLE II (disk) DOS 3.2/3.3 \$25.00

Requires Applesoft Basic in ROM.

Ask for it at your local computer store.



or order direct:

I.H.E.S.I.S.

P.O. Box 147
Garden City, MI 48135
(313) 595-4722

Please add:

\$1.50 shipping/handling
\$1.50 C.O.D.

WRITE FOR FREE CATALOG
DEALER INQUIRIES WELCOME

★ PERSONAL DATA MANAGEMENT FILE-IT 2™

Contains all the programs in FILE-IT plus five additional file handling and financial programs. Financial entry and report generator programs create a powerful personal accounting system while two additional utility programs provide random access updating and user controlled record selection. Subfiles may be created, merged and sorted by any field. A monthly Bar Graph program generates a visual picture of financial data on the screen and/or printer. Supports up to four disk drives as well as the AXLON RAMDISK. Minimum requirements are 24K, 1 disk drive and an 80 column printer. Extensive documentation, supplied in a ring binder, provides clear instruction along with a tutorial on computer filing. \$49.95 + \$3.25 Shipping and Handling. AXLON RAMDISK not required.

NEW! SWIFTY DISK DOCTOR™

An accurate disk speed diagnostic utility program designed specifically for ATARI 810 Disk Drives. Provides easy-to-read visual indication of the speed of any drive connected to your system. Using the accuracy of machine language, DISK DOCTOR displays five RPM readings per second with a working tachometer accurate to ¼ RPM. Allows you to adjust your drive(s) to factory specs easily and at any time in the convenience of your own home. Comes complete with easy to follow user's manual. \$29.95

SWIFTY DATALINK™

High Quality Smart Terminal Communications program. Easy to use Multi-Option, Menu Driven. Full performance uploading/downloading. Works in Duplex or Simplex modes supporting ASCII and ATASCII transmission. Printer Dump, Screen Dump and Disk Search options. Use as remote terminal. Send/receive and store programs and data files. Saves connect time charges with commercial services. Requires 24K RAM, 810 Disk Drive, 850 interface or equivalent, 830 or other 300 Baud modem. (Printer optional) \$39.95

UTILITIES

DISKETTE INVENTORY SYSTEM™

Use this system to gain control of your expanding disk/program inventory. Quickly get locations of single or multiple copies of your programs and all your valuable files. An invaluable tool, this system is easy and convenient to use and to update. 24K disk system required. \$24.95 Printer suggested.

COMING SOON! The Family Financier™

An easy to use financial package.

NEW! TRIVIA TREK™

Unlimited fun and lots of laughs for one or two players. Five hundred questions and two thousand multiple choice answers are supplied on the master diskette. A powerful datafile handling program allows creation of your own trivia questions and answers. Features include: Player Missile Graphics, user or random selection of subjects and numerous comical answer choices. This DISK ONLY package comes complete with user instructions. An incredible value for only \$29.95. Requires 32K and disk drive.

NEW! FUN "n" GAMES #1™

WORDGAMES, POSSIBLE and LEAPFROG giving you hours of fun, challenge and entertainment. WORDGAMES, two games in one, contains GUESSIT - a deductive alphabetic reasoning game for one or two players and WORDJUMBLE - a multiple word scrambling puzzle with play-on-word hints and mystery answers. Instructions show how you can substitute your own words. Use POSSIBLE to help scramble word jumble puzzles or to create your own. All letter/number combinations or permutations of input are printed to screen or optional printer. LEAPFROG is a Chinese-Checker type jumping game in which you try to position two sets of animated jumping frogs in a minimum number of moves. 16K Cassette \$19.95; 24K Disk \$24.95. Disk version of GUESSIT works with VOTRAX Type "n" TALK. A real crowd pleaser.

SAVE \$\$ DISK SENTRY™

An intelligent digital accessory for your ATARI 810 Disk Drive, lets you selectively write data to both sides of single sided and write protected disks. DISK SENTRY cannot harm your drive or disks. Installs and removes easily; no soldering required. DISK SENTRY's LED signals system status, preventing accidental erasure of data. DISK SENTRY is a convenient push button write-protect override which can pay for itself with your first box of disks. \$39.95 + \$2.50 Shipping and Handling.

NEW! VINYL DUST COVERS

New, glove soft, vinyl dust covers for the ATARI 800 Computer, the 400 Computer and the 825 Printer. Custom made from heavy duty upholstery grade vinyl, these covers completely cover the top and sides of your valuable equipment. Do not confuse them with cheap, flimsy plastic covers available elsewhere. Accessory ports and other input/output plugs are exposed for convenience of use. Available in either black or "ATARI" beige. ATARI 400: \$9.95; ATARI 800: \$10.95; ATARI 825: \$10.95. Specify model and color. Any two covers for \$18.95. Please include \$2.50 for Shipping and Handling.

ARCADE GAMES

24K Disk; 16K Cassette; Joystick required. Add these popular HIGH RESOLUTION, REAL-TIME, ANIMATED games to your software arsenal. Get FAST ACTION and FULL SOUND GRAPHICS that take advantage of the unique features of your ATARI. Enjoy challenge that requires strategy and skill.

SPACE CHASE™

Fly against intelligent invader clones. Arm yourself with Nuclear Defense Charges and play with or without Defense Shields. Enjoy this action-packed multicolor space odyssey. Displays top score, number of planets saved and number of galaxies conquered. \$14.95 cassette; \$19.95 disk

TIMEBOMB™

Meet the challenge of this fast moving animated race against time, enemy aircraft and enemy bombs as you attempt to disarm timebombs set to explode ammunition depots. Avoid aircraft of varying sizes and speeds — and their bombs. Choose one of ten Day or Night Missions. Use from one to four Joysticks. Any number can play; top players listed on scoreboard. \$14.95 cassette; \$19.95 disk

COMING SOON! Space Shuttle Adventure Series™

Real-time Space Flight Simulations



send check or money order to:

SWIFTY SOFTWARE, INC.

64 BROAD HOLLOW ROAD
MELVILLE, N.Y. 11747
(516) 549-9141

N.Y. Residents add 7 ¼ % sales tax

send for free catalogue dealer orders and c.o.d.'s accepted

©1981, 1982 Swiftly Software, Inc.

NOTE: ATARI® is a registered trademark of Atari Inc., a Warner Communications Company and all references to ATARI® should be so noted.



LOOKING AT BOOKS

COMPUTE!'s First Book of ATARI

Published by *COMPUTE!* Books

Small System Services, Inc.

184 pages—\$12.95

by *DeWitt Robbeloth*

This book is a collection of articles from *COMPUTE!* Magazine. All of the material is about the ATARI computer and its uses. That's very handy material if you are an ATARI owner. The biggest problem with the book is that the topics are scattershot, reflecting the interests of the many writers rather than the needs of the reader. Still, it is likely that sooner or later an ATARI owner will have an interest in most of the information in this book, and once you have the book, there it will be. I bought it for this promise alone.

Many of the articles are directly and immediately useful, for the beginner as well as the experienced user. Since these articles did appear in *COMPUTE!* at some time during the past few years, it is fair to assume that they met a relevance challenge from the magazine's editors when published, and the fact that they made it through another editorial screening is a good recommendation for their quality.

There are 33 articles by 24 different authors several of them well known in the micro world. Their work has been organized generally around several key interests: the BASIC language; graphics; programming techniques; and peripherals. The book is not a primer in any of these areas, nor is it a substitute for diligent study of the ATARI manuals. Each article stands alone, and if it is too advanced, the next one may well be easier. Almost all of the articles need to be studied to yield any real benefit. Many include program listings for user copying or saving. Most of the listings are photocopied from printouts, so you can assume they are accurate.

This book clearly tells you a lot about the ATARI that you couldn't find out from authorized sources and could only discover by chance on your own. In that respect, these articles are like war stories, swapped behind the lines during R&R. One guy says that creating 3-D effects with color graphics is a snap. (Oh, yeah!) Another describes the structure of BASIC inch by inch, as if it were an impregnable fort. Someone else demystifies a scary function. (I guess POKE ain't so hard.)

The best recommendation I can give for this book is that I bought it. *COMPUTE!* has a good reputation for supporting ATARI owners, and getting this book is surely cheaper and easier than buying up all of *COMPUTE!'s* back issues. I expect to have my nose in this book soon and often. Now let's see, what's this here about XIO?

Just Introduced

De Re ATARI (All About ATARI)

A Guide to 400/800 Home Computer

APX-90008

Order from:

Atari Program Exchange

P.O. Box 427

155 Moffett Park Drive

Sunnyvale, CA 94086

\$19.95 + \$2.50 shipping

CA residents add 6.5% tax

or phone 800-672-1430 in CA

800-538-1862 outside CA

KIDS KORNER

Do you think programming is dull and boring?

Well, try this, and you'll be surprised! Just type this program (exactly) into your ATARI and RUN it. Be sure there is a BASIC cartridge in the left front slot, though.

```
10 GRAPHICS 2
15 DIM NAM$(20)
20 ?"TYPE YOUR NAME"
25 INPUT NAM$
28 POSITION 10,0
30 SETCOLOR 0,0,0
32 POSITION 10,K
35 PRINT #6,NAM$
40 FOR I= 1 TO 15
45 FOR J= 1 TO 50
50 SETCOLOR 4,I, 8
55 NEXT J:NEXT I
58 K= K + 1
60 GOTO 30
```

RUN the program. Type in your name and press RETURN.

Not bad, huh?

Everything that's fun on a computer has to be programmed by someone. Some programming is very complicated, but some is as simple as this. Of course, we know you don't understand what you did, but you can learn. Study your BASIC book, read computer books and magazines, share ideas with your friends, ask your teacher, pester a programmer, experiment.

ANTIC will help you discover the possibilities of your ATARI, and if you invent a good program, maybe we'll print it for other kids to use.

WORD PROCESSING COMPARISON

continued from page 5

TEXT WIZARD (TM)

BEST FEATURES:

The least expensive of the three word processors being discussed here, *Text Wizard* has to be labeled as the BEST BUY. It is an extremely powerful yet simple word processor, and has the added ability to write and edit BASIC programs. If you do any software development you will really appreciate the edit capability. For example, you can load a basic program, edit it, and print all or part of it to your printer.

Word processing commands are very logical and can be given at any time except during print. There is no menu, but every command ties to the keyboard in a fashion that is easy to remember. The console keys START, SELECT, AND OPTION, for example, are used a great deal. To print, save, or load a program you would press OPTION and either P, S, or L. Perhaps the nicest feature involves the INSERT mode. If you press the CONTROL key and the INSERT key at the same time, you enter this mode which allows you to insert letters, words, or even paragraphs. Text to the right of the cursor is "pushed" as you type which makes the job of adding text into the middle of a paragraph a simple matter.

WORST FEATURES:

Text Wizard makes no attempt to overcome the 40 column TV screen limitation imposed by Atari. This translates to "print it if you want to see how it will look" and wastes a lot of paper. Difficulty may also be experienced when using the header/footer commands on shorter than normal pages, but with some experimenting this can be compensated for. Although you would have to do a lot of typing to feel the pinch, *Text Wizard* uses more of your memory space than *Letter Perfect* by about 6000 bytes.

ATARI (TM) WORD PROCESSOR

BEST FEATURES:

Make no mistake, this is the most sophisticated and powerful of the three programs being compared. At the top of most lists would have to be the superior text formatting/viewing capabilities of the ATARI word processor. Of the three programs we are reviewing, this is the only one which does an excellent job of compensating for the 40 column screen limitation. By pressing the [SELECT] key, you are transferred to a special graphics mode which shows you what your document will look like when printed. Although you can't read it in this form (words have been replaced by lines) the image is very clear. It is from this mode that all of the form controls are indicated as well, and you can see the effect of your margin changes instantly. All other changes require

that your text be re-formatted under program control. The reformatting, incidentally, is fascinating to watch the first few times, but on a long document can be time consuming. The trade off of reformatting versus printing to see what the results will be, softens the wait considerably.

The *Atari Word Processor* has a number of very sophisticated features that aren't found in many others in its price range (\$150). It makes liberal use of the Atari scrolling and screen editing features which provides substantial freedom to view your text. It intentionally makes a backup copy of the last page that you "re-save" after editing. This allows you to reclaim it in the event you have a change of heart. It allows you to change capital letters to lower case, and vice-versa with a simple keystroke. You would have to see this one in action to believe its usefulness.

WORST FEATURES:

After using both *Letter Perfect* and *Text Wizard* for some time the *Atari Word Processor* seems very complicated even though great pains have been taken in the Atari tradition of human engineering. The documentation, which seems intimidating at first, is designed for the person with no computing experience and is demeaning in its simplicity for anyone other than the rank beginner. Time is the best teacher, though, and Atari has really done a commendable job of preparing the user to reap full benefits from their program. After the dust has settled, the one remaining shortcoming seems to be the numerous keystrokes needed to accomplish certain tasks. The *Atari Word Processor* is completely menu driven, with at least 5 levels of menu to contend with in certain cases. To format a document, for example takes five individual keystrokes if you want to include pagination. Printing can take four and so-on. Much of this results from the added features and functions that Atari has provided, so it is possible that there isn't a better/faster way. It just seems that there is so much "protect the user" philosophy built in to it that is sometimes gets in the way of efficient operation.

CONCLUSIONS

The best way to finish this off is to refer you to the chart of features that accompany this article, and to encourage you to try each of them at a local dealer. All three word processors are good, if not great. All have their strengths, and in fact I use all three depending on my purpose or goal. All three are good value for the money. If I had to choose one above the others, however, I would give the nod to *LJK*. They seem to be on the right track, and are tying their software together into a nice, albeit expensive, package. The database (*Data Perfect*) is now available as well as the ROM version of *Letter Perfect*. The latter, incidentally, sells for \$250, which seems a bit high. It is an enhanced version of Version 2.0 and will be given a thorough review in the next issue, so be sure to check it out.

the SOFTWARE connection For Atari Only

EXTRA SPECIAL SPECIALS

K-razy Shootout Retail \$49.95 **Now \$37.50**

K-BYTE breaks into the market with this innovative game. ROM cartridge 16K.

Pathfinder Retail \$39.95 **Now \$25.95**

Blast your way through the maze filled with nuclear waste and radioactive monsters in this never before released game by Gebelli Software.

Match Racer Retail \$29.95 **Now \$22.95**

Gebelli Software has you match your wits and ability against your race car opponent in a showdown of racing skill.

Andromeda 2 Retail \$34.95 **Now \$25.95**

First time ever for any machine by Gebelli Software. Trapped inside a gigantic living organism you must find your way out before the antibodies get you.

GAMES

	Retail	Now
Checker King C 8K	\$ 19.95	\$ 15.95
Microchess C 8K	19.95	15.95
Empire of the Overmind C 40K	30.00	24.00
The Datestones		
of Ryn C/D 32K*	19.95	15.95
Rescue at Rigel C/D 16K*	29.95	23.95
Temple of		
Apshai Dujonquest .. C/D 32K*	39.95	31.95
Star Warrior C/D 32K*	39.95	31.95
Crush, Crumble		
& Chomp C/D 32K*	29.95	23.95
Invasion Orion C/D 32K*	24.95	19.95
Major League Baseball D 40K*	30.00	34.00
Computer Acquire C 32K	20.00	16.00
Lords of Karma C 40K	20.00	16.00
Reversi C 8K	19.95	15.95
Deflection C 8K	14.95	11.95
Sunday Golf C 16K	14.95	11.95
Adventure Series C 24K	19.95	15.95
Mountain Shoot C 16K	14.95	11.95
Galactic Trader C 32K	19.95	15.95
Poker Solitaire C 8K	14.95	11.95
Galactic Empire C 32K	19.95	15.95
Star Trek 3.5 C 32K	19.95	15.95
Gomoku C 8K	19.95	15.95
Ricochet C 16K*	19.95	15.95
Mouskattack D 32K	34.95	27.95
Stone of Sisyphus D 40K	34.95	27.95
Ali Baba D 32K	32.95	26.50
The following require joystick controllers		
Angle Worm C 8K	14.95	11.95
Lunar Lander C 24K	14.95	11.95
Stocks and Bonds D 40K*	25.00	20.00
Cypher Bowl C/D 16K	49.95	39.95
Kayos C/D 8K	34.95	27.95
Ghost Hunter C 16K	29.95	22.50
Pool 1.5 D 16K	34.95	27.95
Ghosthunter D 16K	34.95	27.95
Jaw Breaker D 16K	29.95	23.95

MISCELLANEOUS

Vis/Calc D 32K** \$199.95 **\$145.00**

A number one best seller by Apple® now available for your Atari.

	Retail	Now
Letter Perfect** D 16K	149.95	119.95
LJK Utility		
Mail/Merge** D 16K	29.95	22.50
Data Perfect** D 32K	99.95	79.95
Text Wizard** D 32K	99.95	79.95
Datasm-65** D 48K	149.95	119.95
Edit 6502*** R 24K	199.95	160.00
The Next Step*** D 32K	39.95	31.95

The following require joystick controllers

Micro-Painter** D 48K	34.95	27.95
Character		
Generator*** D 24K*	19.95	15.95
Lisp 2.0*** D 48K	149.95	119.95

(C) Cassette Tape (D) Diskette (R) ROM Cartridge

*Requires Atari Basic

***No printer option

**Printer optional

We carry complete lines from the following companies:

AVALON HILL GAME COMPANY • COMPUTER MAGIC, LTD. • DATASOFT • EDU-WARE • GEBELLI • INNOVATIVE DESIGN • K-BYTE • LJK • ON-LINE SYSTEMS • QUALITY SOFTWARE • SPECTRUM COMPUTERS • STRATEGIC SIMULATIONS • SYNERGISTIC • UNITED SOFTWARE OF AMERICA • VERSA COMPUTING • VOYAGER SOFTWARE • ADVENTURE INTERNATIONAL • ARCADE PLUS • ARTSCI • AUTOMATED SIMULATIONS

Catalog free with any order or send \$2 postage and handling to

THE SOFTWARE CONNECTION
5133 Vista Del Oro Way
Fair Oaks, CA 95628

MAIL ORDERS: For fast delivery, send certified check, money orders or Visa or MasterCard number and expiration date, for total purchase price plus 1% or \$2 minimum for postage and handling. Add \$5 for shipments outside the continental U.S. California residents add 6% sales tax.

COD and Chargecard orders may call **(916) 989-3174**. Subject to stock on hand. Prices subject to change.

APPLE USERS CHECK OUR CATALOG

CUSTOMER SUPPORT

Atari is committed to its customers. They have tried to maintain the best support of any major computer manufacturer that I know of.

Unlike other manufacturers who have forsaken their users, Atari maintains toll free numbers for customer questions and problems.

In California

800-672-1430

Outside California

800-538-8547

In Hawaii and Alaska

800-536-1682

The APX (Atari Program Exchange) toll free line for ordering is:

In California

800-672-1430

Outside California

800-538-1862

*Available to
Subscribers Soon!!*

PUBLIC DOMAIN SOFTWARE

Collected from all over the country

- ★ Great Value
- ★ Games
- ★ Utilities
- ★ Music
- ★ Education
- ★ Inexpensive Software
- ★ Software by Category

WATCH FOR THIS IN JUNE

User Groups Contact Us

Users Benefit from All the Clubs

SOFTWARE ANTICS™

presents

Spellrite™

Version 1.0

**A spelling checker
for the
ATARI 800**

designed to work with
Letterperfect™
Text Wizard™
The Atari
Word Processor™

**Available
May 1st
\$75.00**

Call 415-864-0886 for details

!! COMING IN JUNE !!

PASCAL—It's finally here and we'll tell you about it.

PROFILES—Interview with Ihor Wolosenko, co-developer of File Manager 800 and founder of SYNAPSE Software.

PRODUCTS IN DEPTH—Investigation of communications hardware for your computer & telephone. A look at two major speech synthesis devices.

INSIDE ATARI—An interview with a surprise guest from Atari headquarters.

REGULAR FEATURES—Pilot, Memory Map (continued), Starting Line, Forth Factory, I/O Board (readers responses), Education Center, Kids Korner, and Tape Topics.

WATCH FOR—Comments on the West Coast Computer Faire. New software reviewed. More software in the public domain. Useful assembly language routines. GTIA—more graphics from this new chip. More on business and finance. Cassette tape users rejoice—help for you too.

!! WE ARE THE ATARI™ RESOURCE !!

ADVERTISERS

The Codeworks	25
Eastern House Software	8
Gebelli Software	23
Intec Peripherals Corp	29
Microperipherals Corp	32
Mosaic Electronics .IFC	
On-Line Systems . . .OBC	
Optimized Systems Software	3, 29
Program Design Inc.	13
Quality Software	31
Renaissance Technology Corp.	27
Santa Cruz Educational Software	17
The Software Connection	35
Spectrum Computers	30
Sunrise Software	24
Swiftly Software	32
Synapse Software	IBC
Syncro, Inc.	33
T.H.E.S.I.S.	32
Versa Computing	7

GET SERIOUS OR ELSE... JUST PLAY GAMES!

For Atari home computer

FILEMANAGERTM.

The Atari 800 disk-based file management system.

FILEMANAGERTM is a powerful personal, as well as professional, tool. The full use of graphics and sound make FILEMANAGERTM an extremely easy-to-use file-keeping system.

FILEMANAGERTM provides:

- * User defined formats
- * Index on any field at any time
- * Ultra fast sort
- * Wild card search
- * Up to 2000 characters per record
- * Full screen input & edit
- * Search on any combination of fields
- * Format lists and mailing labels
- * Single keystroke commands
- * Full mathematical capability
- * Computed, constant, and dollar fields
- * Combine and convert existing files
- * Elegant human engineering
- * Database merge w/ Datasoft's Text Wizard
- * Exclusive DatalockTM electronic key protection
- * Compatible w/ Axlon's 128K RAMDISK
- * And much, much more . . .

Use FILEMANAGERTM to create mailing lists, inventory and business records, customer lists, all customized to your own needs!

DISKMANAGERTM.

Now you can maintain an inventory of all the programs in your growing library, on one disk. DISKMANAGERTM prints out labels (category, date and number) and alphabetized lists for each disk in your library.

The DISKMANAGERTM can automatically update your library when you add or delete programs. Fast machine language sorts allow you to locate any program in your library quickly and efficiently. DISKMANAGERTM offers full "wildcard" search functions as well as a variety of other professional features!

DODGE-RACERTM.

Drive your car through a torturous maze avoiding the computer jam car out to get you. The better you get, the faster the action . . . And when you're ready, play two cars at once! Challenge the computer or your friends with 12 game options in this real-time game of skill and reflex.

PROTECTORTM - by Mike Potter

You are the last hope! The alien Slime-hordes of Fraxullus are attacking your cities. One by one, the inhabitants are being snatched from the rooftops and dropped into an erupting volcano.

You must save these innocent victims from their gruesome destiny. Laser caves, Xytonic pulse-trackers, meteor storms and other dangers await you. It has fallen on your shoulders, you are the Protector.

There are six levels of lightning-fast machine language play in this hi-res arcade game.

CHICKENTM.

There's trouble in the barnyard. Ma Hen and a pesky old fox battle it out, as you try to save the local chicken population. Seems that the fox has found Ma Hen's eggs, and she is trying to save them from his deadly clutches. The action gets faster and faster as eggs turn into chicks, feathers fly, chickens squawk, and all bedlam breaks loose.

CHICKENTM is a machine language, arcade game that will challenge and entertain even the most experienced arcade player.

Ask for details on all Synapse Software products at your local dealer.

synapse
SOFTWARE

820 Coventry Road, Kensington, CA 94707
(415) 527-7751

FILEMANAGER 800

THE ATARI 800 DISK BASED
FILE MANAGEMENT SYSTEM

DISKMANAGER

synapse

synapse

synapse

WE BRING YOU THE BEST IN ATARI GAMING

A

THE NEXT STEP

THRESHOLD

ON-LINE systems

At ON-LINE SYSTEMS, we have worked hard to make the software that you want. Over the last 9 months, authors like John Harris and Bob Stewart have been making totally new software for you, and software specialists like Chris Iden and Warren Schwader have been bringing you the best software available from other computers. Their efforts have not gone unnoticed and more and more, ATARI owners are coming to us for their software needs.

— Here's why —

MOUSKATTACK

You are Larry Bain, ace plumber for RODENT ROOTER Plumbing service. Your job is to install pipe through the many levels of rat alley. One look at a super rat will tell you why it won't be easy. An original arcade game by JOHN HARRIS (author of Jawbreaker).

32K ATARI 400/800 Disk

PRICE \$34.95

CROSSFIRE

They're coming at you from all sides. If you going to make it, your going to have to move fast. This arcade game is totally original and highly addicting. By Jay Sullivan and Chris Iden.

32K ATARI 400/800 Disk

PRICE \$29.95

JAWBREAKER

Already an ATARI classic. John Harris has made a fantastic arcade game that is fun for the whole family. Can you eat your way through the candy store without getting caught by a bratty kid? Get JAWBREAKER and find out.

24K ATARI 400/800 Disk

PRICE \$29.95

16K ATARI 400/800 CASS

PRICE \$29.95

HI-RES #0

MISSION ASTEROID

An introduction to our HI-RES adventure game series. MISSION ASTEROID brings you the sights of outer space and mission control in beautiful 21 color HI-RES graphics. By Ken and Roberta Williams and Chris Iden.

40K ATARI 400/800 Disk

PRICE \$24.95

HI-RES #2

WIZARD & THE PRINCESS

An adventure classic comes to the ATARI! The evil wizard Harlan has stolen away the princess Priscilla. Rescue her and half the kingdom of Serenia is yours. Beautiful 21 color HI-RES graphics. By Ken and Roberta Williams and Chris Iden.

40K ATARI 400/800 Disk

PRICE \$32.95

HI-RES #4

ULYSSES and the GOLDEN FLEECE

You are ULYSSES and the king has sent you to retrieve the golden fleece for his pleasure. To win the fleece, you will have to do battle with the powerful enemies from ancient mythology. Beautiful 21 color HI-RES Graphics. By Bob Davis, Ken Williams and Chris Iden.

40K ATARI 400/800 Disk PRICE \$34.95

THE NEXT STEP

A powerful new graphics utility that will help you to do fantastic graphics on your ATARI. The NEXT STEP has a menu driven, joystick controlled, character set editor to do graphics like those found in JAWBREAKER and MOUSKATTACK, plus routines to mix any of ATARI's 14 graphics modes. A must for the BASIC or MACHINE LANGUAGE programmer.

32K ATARI 400/800 Disk PRICE \$39.95


ON-LINE SYSTEMS
36575 MUDGE RANCH RD
COARSEGOLD, CA 93614
(209) 683-6858

ADD 1 DOLLAR FOR SHIPPING


VISA, MASTERCARD, CHECK, CDD




JAWBREAKER





MISSION ASTEROID



WIZARD & THE PRINCESS



CROSSFIRE



ULYSSES and the GOLDEN FLEECE



MOUSKATTACK



THRESHOLD